







All the equipment you need

Heaters

Lighting

Diagnostics

s Lifts

Tools and more...



Local Service National Strength

Are you interested in joining the UK's fastest growing network of independent garages?

Our Servicesure Autocentres programme has been created with input from garage owners who run workshops and garages just like yours.

It's been specifically designed to identify service and repair opportunities to help your business grow.

We also offer a range of exclusive business support services that will save you time and money.

As a member of Servicesure Autocentres you have access to a wide range of benefits. Every Single one of them has been added to the programme to help your business prosper. Some of the benefits will help you generate more revenue or provide a better service whilst others could save you money.

You can choose to use as many or as few of the benefits as you want and they can be started at any point of your membership.

» Access to our market

- leading National Warranty
- » Brakesure
- » Batterysure
- » EVsure
- » GS Onestop
- » GS Lite
- » AlliCat
- » Temporary technical staff
- » Interest Free credit

- **Benefits include:**
 - » Training
 - » Personalised videos
 - » Business Insurance opportunities
 - » Courtesy car and car sales
 - » Full marketing support service
 - » Branded clothing
 - » Sponsorship
 - » Brand Awareness through Social media
 - » Waste Management
 - » Plus many more

The benefits massively outweigh the subscription!

For more information call: 0330 041 2118

The UK's fastest growing network of garages



GSF Car Parts is one of the UK's leading automotive parts distributors, supplying thousands of independent garages throughout the UK with parts, tools, garage equipment and specialist training.

We supply the highest quality OE and OE matching brands to provide choice and value. We have long-term strategic relationships with key OE component manufacturers and maintain the highest level of quality product, availability and technical leadership.

The new Garage Essentials catalogue contains a wide range of leading brand workshop tools, garage equipment, vehicle diagnostics and specialist training, including a host of new products.

Our team of experts are on hand to answer any questions - contact them on **0121 749 8801** or **garage.equipment@gsfgroup.com**

	2	FIND YOUR LOCA	L BRANCH	4
MEET THE TEAM	4	LEASING		6
HEATERS 7-12	K BODYSHOP	45-48	🛠 tools	72-78
	a LASER		Bendix LAUNCH UK LASER	
ZM PARAFFIN DIESEL SPACE HEATERS	PULLING TOWERS		TRANSMISSIONS	
THERMOBILE FLUE KIT / OIL FIRED HEATERS /	PLASTIC WELDING		DIESEL & ENGINE	
FIRED CABINETS / SUSPENDED UNIT			EV & HYBRID	
ELECTRIC FAN HEATERS	WELDING & H	IEAT 49-52	SAFETY PRODUCTS	
FIREBALL ELECTRIC FAN HEATERS	_		WORKSTATIONS & BENCHES	
	🚟 🕮 LASER		BRAKE FLUID TESTER /	
E BATTERY SUPPORT 13-18	WELDERS		BRAKE BLEEDER	
LOKITHOR 💷 🚾 SEALEY	INDUCTION HEAT TROLI	LEY		79-85
JUMP STARTER, AIR COMPRESSOR	HEATER KIT		POWER TOOLS	/9-00
& PRESSURE WASHER	_		SEALEY LASER	
BATTERY CHARGERS / TESTER & SCANNERS		RS 53-54	GRINDERS POWER PACKS IMPACT \	WRENCHES
AGM BOOSTER PACKS			POLISHERS & MANY MORE	
CAPACITOR BOOSTERS	BELT DRIVEN PISTON			00.04
-	DIRECT-DRIVE			86-91
WORKSHOP LIGHTS 19-20	DIRECTORIVE		SFALLY LASER	
17 LANIETTE		MENT 55-56	STORAGE	
RECHARGABLE COMPACTS			HAND TOOLS	
HEAD TORCH	- HOFMANN' 🔽 🐲		TOOL SETS	
· · · · · · · · · · · · · · · · · · ·	4 WHEEL LASER ALIGNM	1ENT	*	
DIAGNOSTICS 21-44			🗱 AIR CONDITIONING	92-94
	WHEEL & TYR	E 57-59	CTR - 201	
	HOFMANN' 🔽 🕬		AIR CON UNITS R744 R134A R1234)	/F
				· · · · · · · · · · · · · · · · · · ·
	WHEEL ALIGNMENT			
DIAGNOSTIC TERMS	TYRE / WHEEL BALANCE	ER & CHANGER		95-98
AUTEL PACKAGES / TPMS			& ONSITE	
TEXA PACKAGES		60-68		
BOSCH KTS PACKAGES	(initiatial is interested in the second seco		AlliCat	00
DELPHI ADVANCED DIAGNOSTIC SOLUTIONS			Technical	99
LAUNCH UK PACKAGES / DPF CLEANING GUN	SCISSOR LIFTS TWO POST LIFTS			
HELLA PACKAGES				
MAVERICK PACKAGES				
ADAS BUNDLES	FOUR POST LIFTS			
POWERHAND DIGITAL MULTIMETER	MECHANICAL VEHICLES	DNAIED		
POWERPROBE	TROLLEY JACKS			
SENSOR TEST LEAD KITS & ACCESSORIES	– 🔜 мот	69-71		
DIESEL & ENGINE TOOLS	_			
PRESSURE & VACCUM TESTING	Continental 5 🔤 🕬			
ELECTRICAL TESTING	MOT / ATL PACKAGES			





Meet the Garage Essentials team

Our team of experts is available to help you invest in the right equipment for your business growth

Nigel Dixon nigel.dixon@gsfgroup.com 07407 874 339

David Tout david.tout@gsfgroup.com 07769 145 727

Eddie Murkin eddie.murkin@gsfgroup.com 07826 511 590

Martin Gallagher martin.gallagher@gsfgroup.com 07823 469 772



٢

Δ

For the most up to the minute branch listing with full contact details, log onto our website and search by your postcode.

gsfgroup.com/our-locations

Branches Nationwide

GSF Car Parts has 180 branches nationwide, supported by strategically located regional and national distribution centres.

Our branches have excellent availability of parts for all makes and models.

Accrington	BB5 1QX	01254 239911
Andover	SP10 4EY	01264 839999
Anglesey	LL60 6HR	01248 422000
Ashford	TN24 OTL	01233 502379
Aylesbury	HP19 8RY	01296 737873
Banbury	OX16 2RL	01295 221133
Barnstaple	EX32 8QA	01271 375801
Basingstoke	RG22 4AD	01256 710200
Belfast	BT12 6HT	028 9066 3866
Beverley	HU17 0GJ	01482 871771
Birmingham Castle Vale	B35 7AR	0121 749 8815
Birmingham Halesowen	B62 8HN	0121 561 3001
Birmingham Smethwick	B66 1NU	0121 565 6340
Birmingham Solihull	B90 4NZ	0121 221 3000
Blackburn	BB1 3AR	01254 53463
Blackpool	FY4 2RP	01253 843373
Bournemouth	BH8 8BH	01202 509459
Bradford Central	BD4 7EA	01274 733888
Bridgend	CF31 3TP	01656 649493
Bridlington	YO16 4SJ	01262 400900
Brighton Hove	BN3 7BA	01273 701777
Bristol Avonmouth	BS11 9YE	0117 322 6799
Bristol Central Easton	BS5 0SP	0117 955 7654
Bristol North Aztec West	BS32 4RR	0117 322 4078
Bristol South Ashton Gate	BS3 2LD	0117 338 0380
Bromsgrove	B60 3DX	01527 575444
Burgess Hill	RH15 9RD	01444 258831
Burnley	BB11 4AA	01282 450005
Burton	DE14 2WD	01283 500006
Bury	BL9 6AQ	01617 614012
Caernarfon	LL55 2BD	01286 673504
Camborne	TR14 OPY	01209 220000
Cambridge	CB4 2PF	01223 640999
Cannock	WS11 7FJ	01543 431400
Cardiff Birchgrove	CF14 4QA	02920 628686
Cardiff East	CF24 1RF	02920 489150
Cardiff South	CF11 8BA	029 2034 7900
Carmarthen	SA31 2BG	01267 237977
Castleford	WF10 4SB	01977 558833
Chard	TA20 2DA	01460 65051
Chelmsford	CM2 6TG	01245 460460
Cheltenham North	GL51 9NZ	01242 252100
Cheltenham South	GL51 8PL	01242 225620
Chester	CH1 4LT	01244 377118
Chichester	PO19 7BJ	01243 771331

Our team are on hand to offer expert advice and first-class service to get you the parts you need as soon as you need them.



Chorley	PR7 1NY	01257 233833
Clitheroe	BB7 1QD	01200 425525
Colchester	CO4 9XP	01206 203006
Coleford	GL16 8PN	01594 832092
Coventry	CV6 5RY	024 7666 9988
Crewe	CW1 6AE	01270 214216
Croydon	CR0 4TQ	0208 970 7734
Daventry	NN11 8RB	01327 871009
Derby North	DE1 3QB	01332 202802
Derby South	DE1 2SX	01332 346680
Doncaster	DN2 4NH	01302 762762
Dover	CT16 3PT	01304 210712
Durham	DH1 1TH	0191 336 1990
East Grinstead	RH19 1XZ	01342 321456
Eastbourne	BN22 8PW	01323 410817
Enfield	EN3 7TY	0208 443 8090
Exeter	EX2 8RG	01392 258279
Farnham	GU9 9LQ	01252 333891
Frome	BA11 4BG	01373 465961
Gateshead	NE21 5TR	0191 204 9555
Gloucester North	GL4 3SJ	01452 528800
Gloucester South	GL2 5DH	01452 212212
Goole	DN14 6XF	01405 658031
Harlow	CM20 2GF	01279 342200
Harrogate	HG1 4QE	01423 889021
Haslemere	GU27 1DW	01428 654444
Hastings	TN38 9BA	01424 435588
Haverfordwest	SA62 4BR	01437 760428
Hayes	UB3 1AP	0208 573 0033
Heathrow	TW14 OLW	020 8917 3800
Hemel Hempstead	HP3 9AJ	01442 868040
Henfield	BN5 9DE	01273 495880
High Wycombe	HP13 7EJ	01494 441234
Horsham	RH12 2NW	01403 257325
Huddersfield	HD2 1AG	01484 434333
Hull	HU2 0JX	01482 328308
lpswich	IP1 5BN	01473 748166
Isle of Man	IM1 5AT	01624 620000
Kidderminster	DY11 7AR	01562 864333
Leamington Spa	CV31 3LH	01926 451980
Leeds East	LS8 5EL	0113 201 9030
Leeds South	LS10 2AZ	0113 292 4999
Leeds West	LS4 2AR	0113 244 3637
Leicester	LE4 0JD	0116 234 0200

Lewes	BN7 2FB	01273 487828
Lincoln	LN6 7QY	01522 575333
Littlehampton	BN17 5DF	01903 719990
Liverpool Aintree	L9 5AY	0151 525 1764
Liverpool Bootle	L5 9UB	0151 207 6667
Llandudno	LL31 9PN	01492 592144
Llanelli	SA14 8LQ	01554 775772
Luton	LU1 3XJ	01582 506940
Macclesfield	SK10 1LT	01625 427733
Maidstone	ME15 6HA	01622 766410
Malvern	WR14 1GF	01684 882699
Manchester Dukinfield	SK16 4UP	01613 396500
Manchester Trafford Park	M17 1QR	0161 876 0466
Manchester Wythenshawe	M22 4QE	0161 946 7929
Mansfield	NG19 9BG	01623 594900
Merthyr	CF48 4XA	01443 699002
Middlesbrough	TS6 6RU	01642 386477
Milton Keynes	MK1 1EQ	01908 872278
Neath	SA10 7NH	01639 641118
Newcastle	NE12 9SZ	0191 205 8313
Newport	NP19 4SL	01633 280001
Newquay	TR9 6TL	01637 849377
Northallerton	DL6 2XE	01609 779551
Northampton	NN1 2PN	01604 609080
Northwich	CW9 7LU	01606 353200
Norwich	NR6 6RA	01603 780900
Nottingham	NG2 3GG	01159 503723
Oldham	OL1 3PA	01616 268384
Otley	LS21 3DT	01943 467514
Oxford Abingdon	OX14 5JX	01235 550555
Oxford Cowley	OX4 2RD	01865 972972
Penryn	TR10 9EP	01326 372651
Peterborough	PE1 5WS	01733 293444
Plymouth North	PL7 1RF	01752 330011
Plymouth South	PL4 0SF	01752 668931
Poole	BH12 3PF	01202 741060
Porthmadog	LL49 9NZ	01766 515414
Portsmouth	PO3 6FH	02392 728970
Preston	PR1 5DP	01772 281711
Reading	RG2 0AU	01189 873030
Redditch	B98 7SE	01527 520445
Rhyl	LL18 2AB	01745 355505
Rochdale	OL16 5RD	01706 678000
Romford	RM11 2SJ	020 8598 8800
Ross-on-Wye	HR9 7BW	01989 769921

Saltash	PL12 6LD	01752 623203
Sheffield	S9 5EX	01142 617888
Shrewsbury	SY1 4YA	01743 440088
Sidcup	DA14 5BL	020 8302 7624
Sittingbourne	ME10 2PD	01795 402402
Skipton	BD23 2QR	01756 799500
Slough	SL1 4QU	01753 215080
Southampton North	SO50 4NT	023 8124 2636
Southampton West	SO40 9LA	023 8086 3900
Southend	SS2 5TE	01702 277 969
Southport	PR8 5RG	01704 536446
St Helens	WA9 5GZ	01744 649 510
Staples Corner	NW2 7JA	0208 208 6444
Stoke	ST4 1PU	01782 844395
Strood	ME2 4LY	01634 712212
Sunderland	NE35 9LZ	0191 644 4789
Swansea	SA6 8JG	01792 790080
Swindon	SN3 4NS	01793 836940
Sydenham	SE26 5AQ	020 8314 4750
Taunton	TA2 8RX	01823 259691
Telford	TF7 4NZ	01952 581666
Thanet	CT9 5TH	01843 298676
Thurrock	RM20 3FH	01708 890740
Tiverton	EX16 6SW	01884 256767
Torquay	TQ2 7QL	01803 242400
Tottenham	N17 7RQ	020 8104 8020
Tunbridge Wells	TN2 3EH	01892 518028
Wakefield	WF2 9LP	01924 851 899
Warrington	WA5 OLS	01925 669759
Watford North	WD24 5RR	01923 239039
Watford South	WD18 7EN	01923 229255
Welling	DA16 3DP	020 8317 7774
Welwyn Garden City	AL7 1EW	01707 429 870
Weston-Super-Mare	BS24 9ES	01934 886544
Weymouth	DT3 4FL	01305 360875
Widnes	WA8 8FZ	0151 424 5056
Wigan	WN1 3DG	01942 502 844
Wirral	CH43 3DS	0151 676 0959
Wolverhampton	WV2 2HU	01902 350940
Woodford	IG8 8HF	020 3280 2611
Worcester	WR4 9GN	01905 29990
Worthing	BN14 8PQ	01903 823123
Wrexham	LL11 4YL	01978 365392
Yeovil	BA22 8XG	01935 609 955
York	YO30 4US	01904 829239



FINELY TUNED FINANCE

Kennet Equipment Leasing is one of the UK's leading equipment finance suppliers. We are dedicated to providing leasing solutions that fit your requirements perfectly.

WHY YOU SHOULD LEASE


- Fast finance approval
- No large deposit to find
- Payments remain the same throughout
- Tax advantages to leasing

- No need to use cash, overdrafts or loans
- New starts and sole trader businesses can lease

LEASING

- No security on your property
- New or used equipment from £1,000 in value

Terms and conditions may vary dependent on credit rating



Finance examples quoted are based on a 5 year term and based on a company trading 3 years (finance can be offered to companies trading less than 3 years). All quotes are subject to status, terms and conditions and affordability checks apply. Payments will be collected Monthly and not weekly, Other finance options are available. GSF Car Parts Limited is an Introducer Appointed Representative of Kennet Equipment Leasing Limited. Kennet Equipment Leasing Limited is authorised and regulated by the FCA, FRN:676024, authorised for credit broking and lending. Kennet work with a panel of lenders. GSF/MAG/04.1.23 V1

CALL OUR TEAM ON 0121 749 8801 FOR MORE INFORMATION

Heating

ZM HEATERS

299

SUPER QUIET PORTABLE PARAFFIN DIESEL SPACE HEATERS

125,000 BTU

ZM Heaters offer high specification heaters, sourced direct from world–renowned factories, to the UK market at exceptionally low prices

£199

70,000 BTU

PART NO: ZMQ-K125 / 987AA7280

	987AA7270	987AA7280
OUTPUT RANGE KW (BTU)	20KW (70,000)	36KW (125,000)
WEIGHT	12KG	24KG
MAX FUEL USAGE	1.9 LITRES PER HOUR	3.6 LITRES PER HOUR
AIR FLOW	400 M3 PER HOUR	900 M3 PER HOUR
TANK CAPACITY	19 LITRE	38 LITRE
MOVE WITH	CARRY HANDLE	TROLLEY & WHEELS

ZM HEATERS

PORTABLE HEAVY DUTY PARAFFIN KEROSENE SPACE HEATERS

Powerful, durable heaters offering significantly better heat. Sourced from a world–leading factory, this range offers better quality and reliability than many other heaters that will cost far more.

	987AA7250
OUTPUT RANGE KW (BTU)	17.6KW (60,000)
WEIGHT	13.5KG
MAX FUEL USAGE	1.7 LITRES PER HOUR
AIR FLOW	100 M3 PER HOUR
TANK CAPACITY	13 LITRE
MOVE WITH	CARRY HANDLE



23% more heat than other units

60,000 BTU



PART NO: ZMIR-K60 / 987AA7250

Powerful & Durable

Quick, cost–effective heat, no installation, near–100% efficiency • Run on diesel, red diesel, paraffin or heating oils

- Supplied with UK 220–240V mains plug
- Built–in variable thermostat control for auto on/off cycling
- Built-in variable thermostal control for auto on/on cycling
 Full safety controls include flame-out and overheat shut-down
- UK manual including service procedures, trouble–shooting, parts diagrams etc
- Fast delivery typically delivered next working day
- 12 months warranty–spares & service parts in UK stock





Heating

THE LEADERS IN EFFICIENT WORKSHOP HEATING

BIOTENER

Manual ignition bio oil heaters with flue kit

- Fast return on investment
- Efficient, virtually soot-free combustion
- · Built in fuel tank, filters and pump
- Flame failure protection
- · Overflow protection for burner dish
- Overhear protection (except Bio B)
- Includes complete flue kit (roof seal, fitting kit & two wall bands); legislation compliant PG1/1 (04)
- Bio Energy 2 & Bio Energy 3 feature a burner draw system or easier lighting and cleaning plus a heat exchanger for higher efficiency

CALL FOR LATEST PRICE



- INCLUDED • Gives approx 5.2m (17ft ground clearance)
- 4 x 1m flue pipes

THERMOBILE

- 1 x Terminal
- 2 x Adjustable wall fixing brackets
- 1 x High temperature silicone rubber roof seal and fixing kit for profiled or corrugated roof and cladding
- 1 x Tee-Pee (flue to heater
- Additional 1m flue pipe available

FINANCE OPTIONS AVAILABLE

These heaters operate on the following fuels:

NEW

Flue kit available

30

THERMOBILE

14

- Bio Diesel Oil
- HVO
- Processed Fuel Oil
- Rapseed, Linseed and some Vegetable Oils

MODEL	PART NUMBERS	HEAT CAPACITY MIN (BTU/HR)	HEAT CAPACITY MAX (BTU/HR)	CONSUMPTION (MIN)	CONSUMPTION (MAX)	FUEL TANK CAPACITY	FAN CAPACITY
BIO ENERGY B THERMO (RADIANT HEATER)	BIOBTHERMO- PACKAGE	68,000	102,000	2 LITRE/HR	3 LITRE/HR	50 LITRES	1000m³/hr
BIO ENERGY 1	GEQBIO1PACKAGE	68,000	102,000	2 LITRE/HR	3 LITRE/HR	50 LITRES	1000m ³ /hr
BIO ENERGY 2	GEQBIO2PACKAGE	85,000	146,000	2.5 LITRE/HR	4.3 LITRE/HR	55 LITRES	3000m³/hr
BIO ENERGY 3	GEQBIO3PACKAGE	130,000	210,000	3.8 LITRE/HR	6.2 LITRE/HR	55 LITRES	3000m³/hr

Manual ignition Bio Oil heaters must be connected to a suitable flue system (min height of 1m above roof apex and 6m above ground level). A full range of flue accessories are available.

*Waste Oil is subject to licensing control: Heaters burning Waste Oil fall under Chapter IV of the Industrial Emissions Directive (IED) A relevant permit is required under Schedule 13A of the Environmental Permitting Guidance (EPR). Full details at www.thermobile.co.uk, under 'News'.

THERMOBILE PROHEAT OIL FIRED CABINET HEATER with integral fuel tank and room thermostat

No space for a bulk fuel tank? Proheat is your solution!

- Use with 28 seconds fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)
- Low-noise radial fan
- Proheat 30 & 60: 240V. Proheat 100: 400v
- Equipped with thermostat
- Capacities of 30, 64 and 97kW net 4-sided adjusted outlet opening guarntees equal air distribution Summer/Winter circuit for heating/ventilation



FINANCE OPTIONS AVAILABLE

CALL FOR LATEST PRICE

MODEL	PART NUMBERS	NET HEAT OUTPUT (BTU/HR)	MAX KW	CONSUMPTION (L/HR)	AIR FLOW (M3/ HR)	FUEL TANK CAPACITY
PROHEAT 30	GEQPROHEAT30	104,000	30.4	3.4	1900	55
PROHEAT 60	GEQPROHEAT60	221,600	64.4	7.2	4500	75
PROHEAT 100	GEQPROHEAT100	333,352	97.7	10.5	8800	-
FUEL TANK	GEQPRO100FUELTANK	-	-	-	-	100





Heating

THERMOBILE PSO OIL FIRED CABINETS Connects to a Bulk Fuel Tank

ERP Compliant

CALL FOR LATEST PRICE

ERP Compliant

91% heat efficiency

Flue Kit available

 Use with 28 seconds fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)

THERMOBILE

- 13 models heat outputs up to 381kW (1.3m Btu/hr)
- Combustion air inlet as standard
- Thermostat, time control, oil filter and fire valve
- Main fan filters available dusty/ hazardous spaces
- · Also available: Stainless Steel Flue Kits ask for details



THERMOBILE

NET HEAT OUTPUT (BTU/HR) MODEL PART NUMBERS GEQPSO 30 GEQPSO30 102,000 **GEQPSO 45** GEQPSO45 153,600 GEQPSO 60 GEQPSO60 205,352 **GEQPSO 90** GEQPSO90 307,000

THERMOBILE

		DED UNIT , Natural Gas	HEATERS or Propane				Choose oil or gas fired
						19	ERP Compliant
		R RICE					
MODEL	кw	VOLTAGE	HEATED AIRFLOW M ³ /HR	FLUE SIZE DIAMETER			
OUH30	102,360	230V	102,000	5"	and the second sec		
OUH45	153,540	230V	153,600	5"			
OUH60	204,720	230V	205,352	5"			FINANCE OPTIONS AVAILABLE

Heating

ELECTRIC FAN HEATERS

SIP

FIREBALL TURBOFAN 2000 ELECTRIC FAN HEATER PART NO: 09128

- 6,820BTU/hr (2kW) powerful heating output
- Automatic shut-off for higher energy savings
- · Heavy-duty powder-coated finish for durability
- PTC Element for safer temperature control • Ideal for conventional fan applications

£35





SIP

FIREBALL TURBOFAN 3001 ELECTRIC FAN HEATER PART NO: 09215

- Variable heat power settings
- Positive Thermal Coefficient (PTC) technology
- Compact and lightweight design for great portability
- Powder-coated steel body with painted finish
- No Heat output given which is 9,556 BTU/hr (2.8kW)

£59

SIP **FIREBALL TURBOFAN 5000 ELECTRIC FAN HEATER**

PART NO: 09220

- 17,064BTU/hr (5kW) powerful heating output
- Automatic shut-off for higher energy savings
- · Heavy-duty powder-coated finish for durability
- PTC Element for safer temperature control
- · Ideal for conventional fan applications





NEW



DIESEL/PARAFFIN SPACE HEATERS

SIP

FIREBALL XD75 DIESEL/ **PARAFFIN SPACE HEATER** PART NO: 09592

NEW

- 75,000BTU/hr (20kW) heat output
- 530mtr³ (18,717ft³) approx. heating area
- 26ltr heavy-duty steel fuel tank
- High-quality low maintenance air pump
- · Heavy-duty powder-coated finish

£290

SIP **FIREBALL 350 CORDLESS PROPANE SPACE HEATER** PART NO: 09267

- 34,128BTU/hr (10kW) powerful heating output
 Large 230mtr³ (8,122ft³) approximate heating area
- Quality rechargeable 18v DC 5.2Ah Lithium battery
- Up to 8hrs continuous runtime on single charge

SIP

FIREBALL XD100 DIESEL/ **PARAFFIN SPACE HEATER** PART NO: 09593

- 100,000BTU/hr (30kW) heat output
- 700mtr³ (24,720ft³) approx. heating area
- · 26ltr heavy-duty steel fuel tank

NEW

- High-quality low maintenance air pump
- Combustion chamber cool-down safety feature
- Heavy-duty powder-coated finish

£369





LOKITHOR 5-IN-1 JUMP STARTER, AIR COMPRESSOR & PRESSURE WASHER PART NO: SNCAW401 POWERFUL PERFORMANCE - 2500A starting current, capable of making up to 60 jump

NEW

starts*, suitable for petrol and diesel engines, including: cars, motorcycles, boats, RVs, ATVs, SUVs, vans, tractors, mowers and more.

SAFE & INTELLIGENT - Real time battery voltage detection alarms the user of any battery abnormalities. built-in battery

alarms the user of any battery abnormalities. built-in battery management system safety measures include; short-circuit protection, overcurrent protection, reverse polarity protection, overheating protection, over-cranking protection, spark-proof technology and supply interruption protection.

BUILT FOR TOUGH CONDITIONS - IP65 rated and capable of operating in temperatures between -20°C to 60°C.




Lithium Polymer Batteries

• 2 Year Warranty

£295

- Detachable Clamps
- 12v Charging
- Voltmeter



*Under test conditions, actual number of starts may vary based on charge status, temperature and engine size









GYS GYSFLASH 100-12 HF 5.0M CABLES

PART NO: 29002



£696

The GYSFLASH 100-12 HF is a 100 A, high-power, stabilised power supply featuring inverter technology with five separate functions: Battery support: sustains 12 V (liquid or gel), automotive batteries during diagnostic work

- Advanced battery charger: ensures ideal charging cycles to maintain the batteries of even the most modern vehicles
- Showroom mode: maintains batteries in showroom vehicles
 «BATTERY CHANGE» mode will maintain an electrical power supply
- to preserve the vehicle's memory settingsHigh-power, stabilised power supply: both the voltage and current
- can be adjusted Augeneed features intuitive interface Compact Cobles
- Avanced features Intuitive interface Compact Cables
 Automatic restart / Cable testing and calibrating
- Automatic restart / Cable testing and calibrating
 Showroom mode lock feature / "Easy charge" mode
- Activate and adjust an "expert" charging curve
- Automatic SOS recovery for sulphated batteries

GYS GYSPACK PRO 800 PART NO: 072107



Professional, self-contained starter for all vehicles fitted with 12 V batteries. It comes equipped with a powerful and robust spiral-cell battery

- Featuring a lead-acid battery (in start-up mode: 700 A at 1V/c and 2,500 A at peak battery
- With its compact design and light weight of 18.4 kg, the GYSPACK PRO 800 can be easily moved around a worksite
- Buzzer and an indicator light offer reverse-polarity protection
 Built-in circuit breaker protects your vehicle from power surges or
- Built-in circuit breaker protects your vehicle noin power surges of short circuits and avoid sparks when connecting the clamps Con be fully replaced from the mains completely unattended
- Can be fully recharged from the mains completely unattended thanks to its automatic external 230 V charger
- GYSPACK PRO 800 has a display screen showing the internal battery's state of charge





BATTERY CHARGERS







£60

SIP **ADVANCED GX5**

PART NO: 03572

GYS

•

PART NO: 72411

- Multi-step microprocessor-controlled charging
- Automatic maintenance mode on all compatible batteries
- High-quality advanced digital interface for easy use

Multi-step microprocessor-controlled charging

Automatic maintenance mode on all compatible batteries

High-quality advanced digital interface for easy use

Supply, test, lead, Lithium, and reconditioning modes

- Supply, test, lead, Lithium, and reconditioning modes
- Energy-efficient for high cost savings

SOLAR POWERED **CHARGER WITH**

ACCESSORIES

***119**

SIP **ADVANCED GX10** PART NO: 03573

- Multi-step microprocessor-controlled charging
- Automatic maintenance mode on all compatible batteries
- High-quality advanced digital interface for easy use
- Supply, test, lead, Lithium, and reconditioning modes

NEW

· Energy-efficient for high cost savings

²145

SIP **ADVANCED GX15**

PART NO: 03574 Multi-step microprocessor-controlled

- charging Automatic maintenance mode on all
- compatible batteries High-quality advanced digital interface for
- easy use Supply, test, lead, Lithium, and
- reconditioning modes · Energy-efficient for high cost savings

NEW

SIP **T11 12V/24V BATTERY TESTER & ELECTRICAL** SYSTEM ANALYZER

PART NO: 03568

- and car batteries
- easy-to-use touchpad
- and storage case







GYS

GYSFLASH 30.12 PL UK PART NO: 26070

NEW

BATIUM 7.12 UK

GYS





£129

Workshop smart charger suitable for cars & vans

- Protection for vehicle electronics allows safe charging batteries
 whilst still connected to vehicle
- Charges all common battery types including gel, silver/calcium, EFB & AGM stop/start (up to 130Ah)
- Charges 50% faster than traditional chargers
- Charges deeply discharged batteries from 2volts/cell most chargers cannot do this

£278

Lead-acid/lithium battery charger and battery support unit 12 \ensuremath{v}

- 3 charging currents: 7 A, 15 A and 30 A. The user can select the charging current according to the technology and capacity of the battery
- Showroom/Diag mode, ensures current compensation up to 30 A when using electrical accessories of a demonstration vehicle and during the diagnostic phase
- Supply mode, provides a stabilised power supply so the GYSFlash 30:12 PL can be used as a Battery Support unit
- Will charge deeply discharged batteries from as low as 2V
- Protection of the vehicle's on-board electronics: protection against short circuits, polarity reversal and overcharging. Spark prevention system
- Automatic stand-by mode if the battery is disconnected.
- Integrated temperature sensor to prevent internal electronics' overheating
- Simplified interface to prevent user error

BATTERY TESTERS & SCANNERS

SEALEY

BATTERY MONITOR REMOTE SENSOR

PART NO: BT2020

- Displays real time battery power, voltage and temperature
- Wireless connection with dedicated app which supports up to four devices (IOS & Android compatible)
- Guide user back to the vehicle by automatically recording the last parking location
- Record the route, cost and driving habits of each trip, which can be exported to Excel
- Automatically monitor the starting and charging system of the vehicle and notify if abnormal
- Compatible with most batteries including lead sealed, AGM and Gel
- · Supports up to four devices
- Store historical data in the device for up to 30 days





GYS SURGE PROTECTION 12V

PART NO: 41318

£21

Garage SSentials

 The surge protection preserves the electronics of a vehicle by absorbing the over voltage peak during welding, battery disconnect & reconnection



17



SIP AGM BOOSTER PACKS NEW **RESCUE PAC 3000** 12/24V PART NO: 03937 SIP NEW • 12v/24v internal **RESCUE PAC 1600 12V** battery voltage 3000A boost peak rate • 12v internal battery voltage and 1200A cranking rate **Best Seller** 1600A boost peak rate and Rechargeable AGM 700A cranking rate portable pack for boost-Rechargeable AGM starting portable pack for 2x 12v DC sockets boost starting power devices direct 12v DC takeoff from booster powers devices Reverse hook-up alarm direct from and circuit overload 3000 Sip 600 booster protection Integrated LED charge rate indication 運行 £285 £135 SWISS MADE SWISS MADE SIP SIP NEW **PRO BOOSTER PRO BOOSTER** 5024 12V/24V 6200 12V/24V PART NO: 07192 PART NO: 07174 5000A boost peak rate and 1680A 6200A boost peak rate and 1880A cranking rate cranking rate Rechargeable AGM portable pack Rechargeable AGM portable for boost-starting pack for boost-starting 12v DC output socket for charging 12v DC output socket for charging electronic devices electronic devices Robust and shockproof ABS Robust and shockproof ABS casing for high durability casing for high durability Reverse polarity protection for Reverse polarity protection with Pro Booster 5024 peace-of-mind audible alert £645 £800 **CAPACITOR BOOSTERS** CAPACITOR BOOSTER PART NO DESCRIPTION DETAIL PRICE ZREADY Lightweight capacitor energy cell

99

· 60 Second preparation 'ready' time for fast

boosting capability

07001

600A 12V

🗖 Workshop Lights







Workshop Lights

UNILITE **ALUMINIUM LED INSPECTION LIGHT** PART NO: PI -3

- · High power 275 lumen white SMD LEDs
- Durable die-cast aluminium construction
- Rubberised micro-switch for easy control
- Strong magnetic base for hands-free placement Useful rear aluminium pocket clip for portability
- IPX4 water resistant for added durability in wet
- conditions
- Powered by 3 x AAA batteries



CALL FOR LATEST PRICE

UNILITE LED DETAILING LIGHT

- PART NO: CRI-3350 Maximum Output: 3350 lumens, high CRI 96+ COB | FD
- Five colour temperature settings: 2700k, 3500k, 4500k, 5500k, 6500k
- Dual power options: rechargeable Li-ion battery and mains
- Memory function for last colour used Toughened aluminium, nylon, and TPR
- construction
- Built-in aluminium heat sink
- 180° adjustable stand/handle with tripod attachment hole and magnet
- IP65 dust and water resistance, IK07 shock resistance



UNILITE COMPACT CRI WORKLIGHT PART NO: CRI-1250F

- 1250 lumen 10W high CRI 96+ COB (Chip-on-Board) light source
- Three coloured COB LED options with CCT (Correlated Colour Temperature) of 2700k, 4500k, and 6500k
- Press and hold function for smooth dimming
- 250 lumen 3W SMD LED flood beam top torch
- 5W UV LEDs on the front (385nm) for specialized applications
- Super tough aluminium / polycarbonate structure for durability
- Strong integral magnets on the back and base for hands-free attachment
- Retractable 360° rotating hanging hook for positioning
- Glow-in-the-dark strip around the LED for easy
- locating in low-light conditions

۲72

Battery level and charging with indicator LEDs for convenient monitoring





UNILITE **MULTI BATTERY SITE LIGHT** PART NO: MTB-5300

NEW

- 5300 lumen 50W 6500K COB LED
- Dual Power rechargeable & mains powered
- Takes up to 20V 6.0Ah batteries from Milwaukee, De Walt, Makita & Metabo 4 adapters included
- Secure battery compartment cover (note: larger 6.0Ah batteries may need to be used without cover)
- Super tough heavy duty nylon construction
- Rotating stand with holes for attaching tripod/magnet
- IP65 Dust & water resistant / IK07 Shock proof
- Memory Switch remember last mode used
- 2A USB Powerbank works with any battery Installed
- 4 x Battery level & charging indicators

CALL FOR LATEST PRICE



DIAGNOSTIC MEANINGS

SGW	Secure Gateway Many vehicle manufacturers have started protecting their vehicles with a diagnostic Secure Gateway and firewalls to prevent unauthorized access essentially locking out the diagnostic tool. The number of vehicle manufacturers that are locked will increase in the next few years. These include Volkswagen, Audi, Seat, Skoda, Mercedes, Fiat, Chrysler, Kia, Hyundai to name a few.
	When choosing a diagnostic tool, make sure it is the right tool for your workshop with the correct vehicle access you require. Call the GE team for advice
DolP	Diagnostics over Internet Protocol Used on some later Volvo and Jaguar Land Rover Vehicles
CAN	Controller Area Network Used by almost all vehicle manufacturers to communicate between ECU's on a vehicle and sometimes through the 16 pin OBD Port
CAN FD	Controller Area Network Flexi Data Rate 30-times faster data rate than CAN bus, used by many newer vehicles
LIN	Local Interconnect Network Single wire, serial network
J2534	SAE J2534 Pass-Thru Some diagnostic tools can support J2534 to connect the diagnostic tool to the vehicle via the manufacturer's diagnostic software, enabling ECU re-flashing, and in some cases, diagnose vehicles with dealer level functionality.
D-PDU	Diagnostic Protocol Data Unit
RP1210	RP1210 is used for reprogramming and diagnosing of emission related (mainly) Electronic Control Units (ECUs) in Trucks & Plant Machinary
Battery Support	Battery Support charger recommended see pages 15, 16 and 17

OBD EXTENTION LEAD

PART NO: SNC115.001

- Great Value OBD Extension Lead
- Saves your expensive diagnostic tool plug from damage
- Fits all 12V OBD Diagnostic Machines
- Extends your existing tool's OBD lead by 1 meter



BREAKOUT BOX

PART NO: HU-PPECB

- The CAN-Bus circuit tester is suitable for 12 & 24V systems. Once plugged into the vehicles OBD port it will start to check the 16 pins for any voltage present. If voltage is present the respective LEDs will illuminate
- Test the vehicles link connector (OBD port) for any abnormalities
- Live display of communicating signals if present
- Provides quick access to all 16 pin connections during vehicle repair and diagnosis
 Monitor the input voltage during ECU
- Monitor the input voltage during ECU programming with audilbile low voltage alarm.



SEALEY OBD READER

PART NO: VS8812

- OBDII/EOBD COMPLIANT VEHICLES
 Petrol 2001 and Diesel 2004 onwards
 CAN ENABLED
- CAN ENABLED Retrieves generic P0, P2 and P3 and U10 codes and picks up manufacturer specific P1, P3 and U1 codes
- THIS EASY TO USE TOOL
 Read and Clear Emission Fault Codes
- COMPREHENSIVE INSTRUCTIONS Supplied.





Diagnostics





AUTEL MAXISYS ULTRA PART NO: MSULTRA



- be designed to match the growth of more complex automotive electrical systems and **Electric Vehicles**
- The Ultra has a super large screen, our fastest processors, our largest ever SSD memory and even a docking station as standard
- MaxiSYS Ultra and MS919 are supplied with the all new MaxiFLASH VCMI as standard

AUTEL MAXISYS MS919

- Extended 2 years warranty
- 3-year Software free updates included . **Guided Maintenance**
- 80+ Manufacturers
- Full diagnostics •
- 26 Service Functions
- Channel coding and programming
- . MaxiFlash VCMI included
- Built-In Oscilloscope
- Built-In Waveform Generator •
- **Built-In Multimeter**

Built-In CAN bus Check

- System Topology
- **Repair Assistant**
- Accurate recommendation
- **Relevant Cases**
- Tech Services Bulletins

FINANCE OPTIONS AVAILABLE



- The all-new MaxiSYS MS919 shares exactly the same software and multi-purpose VCMI as the Ultra, but the diagnostic tablet is without the docking station, has a smaller screen and smaller memory.
- MS919 represents excellent value for money, retaining all the software and VCMI features of the Ultra
- MaxiSYS Ultra and MS919 are supplied with the all new MaxiFLASH VCMI as standard
- Extended 2 years warranty
- 1-year Software free updates included **Guided Maintenance**
- 80+ Manufacturers
- Full diagnostics
- 26 Service Functions
- Channel coding and programming
- MaxiFlash VCMI included
- Built-In Oscilloscope
- Built-In Waveform Generator .
- **Built-In Multimeter**

- Built-In CAN bus Check
- System Topology
- **Repair Assistant**
- Accurate recommendation
- Relevant Cases
- Tech Services Bulletins



AUTEL MAXISYS MS909








£2,995

- The all new MaxiSYS MS909, is the replacement to the MS Elite and shares the same tablet • hardware as the MS919
- MS909 is supplied with 2 years updates as standard
- MS909 combines diagnostics, service, extensive live data, channel coding and ECU re-flashing • the MS909 has all new software specialist capabilities that is have named Repair Assist, DTC
- Analysis, Topology Mapping and Relevant Cases

KEY FEATURES

- Extended 2 years warranty
- Repair Assistant .
- 1-year Software free updates included Accurate • recommendation
- MaxiFlash VCI J2534 included Relevant Cases •
- 80+ Manufacturers

- Tech Services Bulletins
- Full diagnostics
- 26 Service Functions
- · Channel coding and programming
- System Topology



BATTERY SUPPORT UNIT RECOMMENDED SEE PAGE 15-17

ACCESSORY KIT





Software Updates + Bolt-ons









AUTEL

MAXISYS

MS906 S PRO PART NO: APMSMS906SPRO

Diagnostics



- MaxiSYS MS906SPRO EU, is the replacement the MS908s. MS906SProEU is excellent for busy workshop tool, or technician, that requires superior coverage and capability, but at a very affordable price.
- MS906SPro EU includes a number of great features such as outstanding coverage with 80+ manufacturers, full diagnostics, service functions, channel coding and programming.

AUTEL MAXISYS MS906S

PART NO: APMS906SEU



KEY FEATURES

- 80+ Manufacturers ADAS Upgradeable
- Bluetooth Connectivity
- Live Data/Record/Playback
- 24 Months UK Support AutoVIN Technology
- 24 Months UK Warranty

- Enhanced European Software
- All Modules Chassis, Powertrain, Body etc
- Read and Clear Codes





- the MS906SPRO EU. Faster, lighter, better value and much more powerful than its competitors
- Bluetooth Connectivity Live Data/Record/ Playback
- 24 Months UK Support AutoVIN Technology 24 Months UK Warranty
- Enhanced European Software
- All Modules Chassis, Powertrain, Body etcRead and Clear Codes



TPMS

AUTEL

TPMS DIAGNOSTIC AND TPMS PROGRAMMER

PART NO: ITS600

 MaxiTPMS® ITS600 EU is an all new TPMS tool that can work in conjunction with the new TBE tyre wear tool

KEY FEATURES

- Optical Scanner Identifies VIN/MMY
- Exclusive TPMS Status Screen
- Fast OBD II Relearn
- Opy By OBD Sensor Programming for Faster Service
- Batch Program Up to 20 Autel 1-Sensors
- Activate, Read, Relearn All Known TPMS Sensors
- Wireless OBDII Connection via Bluetooth VCI
- Tyre Pressure Placard Value Reset
- Includes 4 Commonly Used Maintenance Service Functions
- 24 Months UK Telephone Support
- 24 Months UK Warranty



AUTEL MX SENSOR

- Autel's universal MX-Sensors at 433mHz can be programmed to replace 90% of the sensors on the road today and are built to match or exceed OEM sensors in frequency, strength and durability
- he 4-SKU sensor solution can greatly reduce sensor inventory investment and improve customer service
- Autel's MX-Sensor values are independently tested and certified to meet the SAE industry standard J1205 / J1206 ratings
- Autel MX Sensors are available with Metal or Rubber Value Stems

CALL FOR LATEST PRICE



46

0

PMS Retroft

 (\mathbb{R})

TPMS

OE

AUTEL

TPMS VALVE METAL PART NO: APMX433 £25

AUTEL

TPMS VALVE RUBBER PART NO: APMXSENSOR1RUBBER 25







Supplied with FREE UK Software updates





TEXA

VOICE/MULTIHUB CAR

- Axone voice
- IDC5 Premium Car Software
- TXT Multihub12 months Car Texpack
- 12 months Car Technical Support
- 3 Year waranty

FEATURES

standard CAN and DoIP

- Network cable (Ethernet) reserved for DoIP operations (ISO 13400)
- USB socket for all types of diagnosis, including the Pass-Thru (SAE J2534-1 and SAE J2534-2)
- Bluetooth module for conventional diagnosesWi-Fi module for the diagnostic operations that use

The top-of-the-range solution versatile, quick, intuitive, in any situation



TEXA

CALL FOR LATEST PRICE

TEXA MINI/NANO CAR

The AXONE NEMO MINI is TEXA's latest solution for multi-brand diagnosis. It comprises a Windows 10 operating system powered by an Intel Celeron N4120 processor., 8GB RAM, 256GB SSD storage,

WiFi & Bluetooth connectivity and a user friendly 11.6" multi-touch capacitive display that provides a clear view when conducting diagnostic operations. This AXONE NEMO MINI Car/LCV package

FEATURES

- Axone Nemo Mini
- IDC5 Premium Car Software
- Navigator Nano S
- 12 months Car Texpack
- 12 months Car Technical Support
- 2 Year waranty



Designed to meet the needs of the technician

BOSCH KTS PACKAGES

KTS 560 & 590: Modern control unit diagnosis for the highest level of efficiency and accuracy. The robust communication modules KTS 560 and KTS 590 are optimally suited for the use of the Bosch diagnostic software ESI[tronic] 2.0



THE BENEFITS OF THE KTS 560 AND 590 AT A GLANCE

 Support of all current vehicle interfaces based on Ethernet and parallel operation of several BUS systems, including JLR vehicles

- Advanced PassThru interface for programming
- Works on any Windows 10 OR 11 PC on which the Bosch diagnosis application ESI[tronic]2.0 is installed and licensed
- (Rugged Windows laptops available from GSF, please contact the GE Team for details)
- Mobile and stable operation thanks to powerful Bluetooth interface
- Up to three CAN and K-Line interfaces can be used at the same time
- Wireless Bluetooth connection to the workshop PC allows increased coverage enabling mobile use throughout the workshop
- Rugged construction for long-term everyday workshop use
- KTS 590 also includes a 2-channel oscilloscope.

£2,650

BATTERY SUPPORT UNIT

FINANCE OPTIONS AVAILABLE

RECOMMENDED SEE PAGE 15-17

ESI-TRONIC 1 YEAR SOFTWARE OPTIONS					
DESCRIPTION	PART NO	DETAILS	PRICE		
ESI DIAGNOSTIC	1987P12821	 Diagnostic Package with diagnose and experience based repair (A) Vehicle information / Equipment catalogue (SD) ECU Diagnosis (TSB/EBR) Service bulletins, Known faults 	£646		
ESI ADVANCED	1987P12841 1687P15131	Advanced Package with diagnose and guided troubleshooting • (A) Vehicle information / Equipment catalogue • (SD) Diagnosis of control units • (TSB/EBR) Service bulletins, Known faults • (CoRe) Connected Repair	£1,133		
ESI MASTER	1987P12911 1687P15131	Master Package with diagnose, guided troubleshooting, circuit diagrams & maintenance schedules • (A) Vehicle information / Equipment catalogue • (SD) Diagnosis of control units • (TSB/EBR) Service bulletins, Known faults • (TSB/EBR) Service bulletins, Known faults • (SIS) Repair instructions and manuals • (P) Circuit diagrams for comfort systems • (M) Maintenance schedules and information • (CoRe) Connected Repair	£1,442		







Delphi Advanced Diagnostics Solutions

Welcome to the BlueTech Experience!

Delphi Technologies believe every workshop should have access to the best technology and functionality required to carry out the highest quality repairs

BLUETECH FEATURES



Flight recorder:

Perfect for a one-man road test Select your parameters, hit "Record" and review when back in the workshop. With its 4GB Internal storage capability, enjoy even more space to record all the data you need.



360° Multi colour indicator:

Lets you check the status of the VCI at any time from every angle and position.



Universal: VCI can be used for cars, light commercial vehicles, trucks, buses and coaches, trailers.



Battery voltage monitor: Don't let a dead vehicle battery stop you working.



(()

WIFI and Bluetooth connectivity to the PC:

Wireless communication providing freedom to work anywhere in the workshop, whilst maintaining a seamless connection to the vehicle.

Integrated DoIP: No need of any, DoIP adaptor cable. With its built-in functionality, the VCI can be plugged directly on DoIP communicating vehicles.

Pass-thru support: Quick and easy access to OEM flash-programming services.

CAN FD channels: Future-proof design to make the diagnostic possible on vehicles requiring this data-communication protocol.

Truck and Bus diagnostic software options available. Please call 0121 749 8801 or enquire with your local branch



Free Online Training Once Purchase Has Been Made

Choose the hardware and software solutions that meet your needs!

HARDWARE

DS180 PART NO: SV60250



SOFTWARE CAR SOFTWARE 1 YR PART NO: SV60270

£631.25 CAR SOFTWARE 3 YR PART NO: SV60272

£1,595

BATTERY SUPPORT UNIT RECOMMENDED SEE PAGE 15-17

DELPHI **DS480** Tablet Power of a laptop, convenience of a tablet!







- Microsoft Surface Pro 7+ •
- 12.3" screen
- Quad-Core 11Gen, I5 Processor
- 8GB / 128 Memory
- 6+ hours battery live when in use
- 1x USB-C
- 1x USB-A
- Front and Rear Camera
- Wireless WiFi6, BT 5.0
- 77g weight (tablet only)
- · Active Pen included with holder
- Detachable hub for future . development
- Safety strap
- Rugged case with built in stand
- 2-point safety strap





SOFTWARE

CAR SOFTWARE 1 YR PART NO: SV60270



CAR SOFTWARE 3 YR PART NO: SV60272

£1,595





LAUNCH UK

X-431 EURO PRO 5 LINK WITH HAYNES PRO

PART NO: 1010025



The PRO 5 Link is supplied with the latest Launch development, the advanced Smartlink[®]C VCI. This advanced interface supports multiple communication and diagnostic protocols, these include, DOIP, CAN FD, J2534/1/2, D-PDU, RP-1210/C, 5GMHz wifi, Ethernet, USB 2.0

The PRO 5 Link uses the latest in Launch diagnostic technology. Intelligent diagnostics automatically identifies the vehicle through the VIN

KEY FEATURES

- ADAS dynamic calibrations are included, static calibrations are covered with purchase of the ADAS PRO & ADAS Mobile calibration frames
- Local intelligent diagnostics
- Remote diagnostics, using the Launch SRO platform
- Compatible with multiple protocols
- Two years diagnostics software included .
- One year Launch CarSet electronics powered by Haynes Pro database included
- Two-year Launch UK warranty One click software updates



£2,695

LAUNCH UK

X-431 EURO TURBO COMPACT **PROFESSIONAL DIAGNOSTIC DEVICE** PART NO: 1010023

X-431 EURO TURBO, based on the Android 9 operating system, is a new 8 Inch vehicle diagnostic device developed by LAUNCHUK

TABLET FUNCTIONS

- OS: Android 9.0
- CPU: 2.0 GHz 4 Cores
- Internal memory: 3GB
- Storage: Internal 32GB Screen: 8" 1280x800 IPS
- Battery: 5000mAh
- Wifi: 2.4GHz and 5GHz

FINANCE OPTIONS AVAILABLE

- Camera: Front 2MP,
 - Rear 5MP

P eronpeid et

INCLUDES ELEVEN SPECIAL SERVICE FUNCTIONS

- · Electronic park brake reset
- Oil light / service reset
- . Steering angle reset
- Battery matching .
- Brake bleeding
- Electric throttle relearn
- Tyre pressure monitoring reset
- **DPF** regeneration
- Crankshaft position sensor learn (Gear learn)
- Immobiliser
- Injector coding
 - Comprehensive data stream information can be displayed in different formats:
 - Up to four data streams can be
 - overlaid for comparison
 - Up to 12 individual data streams displayed as a graph
 - Data stream in a list with actual and expected values including measurement

2 years software with the option for Haynes **Pro Electronics**

LAUNCH UK CRP129 EVO C-READER PROFESSIONAL PART NO: 1011023

A professional diagnostics tool, is a cost–effective and powerful machine. It supports all 10 modes of OBD–II. 5" touch screen, Auto–VIN technology

SPECIAL SERVICE FUNCTIONS

- Oil lamp/service reset
- Steering angle sensor reset
- Electric parking brake reset
- Throttle matching
- Battery management system reset
- Diesel particulate filter reset
 Injector programming
- Injector programming



X-431 Diagun EVO

LAUNCH UK

£265

DIAGUN PART NO: 1110002

Hand held and very portable, complete with printer and Built in Battery Tester. Ideal for mobile technicians. Wide vehicle model coverage, powerful diagnostic function and accurate test data

- Read and Erase Fault Codes
- Live Data
- Actuations
- Oil Reset Service
- Steering Angle Calibration
- Electronic Parking Brake Reset (EPB):
- Battery Register/ Battery Maintenance (BRM): Allows the scan tool to evaluate the battery charge state, monitor the close-circuit current, register the new battery replacement, and activate the rest state of the vehicle battery system
 ABS Bleeding
- Electronic Throttle Position Reset/Learn (ETP)
- Diesel Particulate Filter (DPF) Regeneration
- Tyre Pressure Monitor System Reset (TPMS)
- Gear Learning
- Immobilizer Matching
- Fuel Injector Coding: Diesel & Petrol injector coding









LAUNCH UK **DPF CLEANING GUN**

PART NO: 3027001

The Launch DPF cleaning gun is designed to help with the cleaning of Diesel Particulate Filters

- With the DPF cleaning gun, you can spray a cleaning fluid straight onto the DPF via the pressure sensor or vacuum connection.
- The gun is simply filled with Launch DPF cleaning fluid and connected to a compressed air line, enabling you to spray at pressure into the DPF.



NEW

DPF GUN PARTICULATE FILTER **CLEANING FLUID** 1000ML

PART NO: 2951002

- With the DPF cleaning gun, you can spray a cleaning fluid straight onto the DPF via the pressure sensor. The gun is simply filled with Launch DPF cleaning fluid and connected to a compressed air line, enabling you to spray at pressure into the DPF
- Once applied, the fluid will start dissolving soot inside the filter. You can apply the fluid without removal or other unnecessary work. Heavily contaminated cases may require a forced DPF regeneration

£155

LIMITED OFFER WITH FREE

TABLET

HELLA MEGA MACS ONE WITH ANDROID TABLET PART NO: 15265101


10609341

Transform your phone or android tablet into a multifunctional diagnostics tool with the mega macs ONE.

KEY FEATURES £1,895

- Read and delete fault codes of all ECUs
- · ADAS software as standard
- Cyber security management
- Global scan and result storage
- Clear vehicle identification through VIN Live data readings
- Actuator tests
- Coding
 - Service resets





HELLA REMOTE DIAGNOSTICS

PART NO: 1270509

macsRemote makes any repair possible, regardless of vehicle make or model and enables coding and programming tasks to be carried out that would otherwise require a visit to the dealer

By connecting macsRemote to the vehicle and creating a job ticket via our online portal, our technical team can remotely access all of the vehicle's electronic systems and perform the required tasks

KEY FEATURES

- Remote calbration
- · Remote software updates
- Remote programming



FREE android tablet & rugged case with every macs remote

Remote: calibrations | software updates | programming

FREE Demos & Aftersales Support

HELLA MEGA MACS PC AND MICROSOFT® SURFACE GO TABLET WITH RUGGED CASE

FREE Demos & Aftersales Support

PART NO: 15265 10609341

The mega macs PC diagnostics tool is user-friendly, with intuitive, easy to use software, enabling even complex diagnostic tasks to be performed with minimal training.

It also provides full access to HGS Technical Data, with wiring diagrams, symptom-based troubleshooting and step-by-step repair guides for 40,000+ models.







HELLA MEGA MACS X PART NO: 15265851

The new and highly innovative mega macs X from Hella Gutmann Solutions is a revolution in vehicle diagnostics. A flexible, modular system with state-of-the-art diagnostic technology at its core, a range of software options and accessories ensures the mega macs X provides the optimal diagnostic solution whatever your workshop requirements may be, now and as your needs grow.



Tablet available at additional cost

FREE Demos & Aftersales Support

FROM

£2,840 INCLUDING 1 YEAR BASIC SOFTWARE

ADDITIONALS	
PART NO	DESCRIPTION
12705091	MAC REMOTE
15265851	MEGA MACS X
15265961	HELLA GUTMANN TABLET
15267601	X2 1-YEAR SOFTWARE LICENSE
15267611	X3 1-YEAR SOFTWARE LICENSE
15267631	X5 1-YEAR SOFTWARE LICENSE
15266241	MT-HV PRO INCLUDES HV CABLES + LOW VOLTAGE MEASUREMENT MODULE AND CABLES

BATTERY SUPPORT UNIT RECOMMENDED SEE PAGE 15-17

KEY FEATURES (BASED ON X5 SOFTWARE LEVEL)

- Reading/deleting trouble codes
- DoiP technology
- ADAS Software
- Guided diagnostics
- Cyber Security management

- Full HGS Technical data
- Software levels tailored to workshop needs
- Multimeter & 2-channel oscilloscope available at extra cost

FINANCE OPTIONS AVAILABLE

• Guided high-voltage measurements (with MT-HV Pro)






ADAS

HELLA ADAS

As pioneers of ADAS calibration equipment, Hella Gutmann offers a range of solutions to suit all workshop needs; from the original CSC SE kit through the CSC mobile solution right through to the very latest solution – the CSC Digital.





TEXA ADAS

RCCS 3 BT DIGITAL ADAS MASTER VOICE DIAGNOSTIC HARDWARE KIT PART NO: UKGC3301

DIAGNOSTIC TOOL

- AXONE Voice
- IDC5 Premium Car Software
- IDC5 Supercar Software
- TXT MULTIHUB
- AXONE Voice Handle
- 3 Years Warranty

RCCS3 EQUIPMENT

- RCCS 3 Calibration Rig
- 2 x Self Centering Wheel Clamps
- 2 x Flags
- 2 x Laser Heads
- 2 x Laser Support
- Digital Measures

- Centering Laser
- Digital Level
 Support Prestation D
- Support Bracket for RCCS
 CV Extension 101
- LCV Extension Kit
- Honda Type 2 Calibration Panel
- 2 Years Warranty

PRICES ARE FOR BOTH ADAS AND DIAGNOSTIC TOOL



12 Months Car Texpack Software Updates 12 Months Car Tex@info Technical Support



EXTEND YOUR SOFTWARE & SAVE!

PACKAGE INCLUDES AN ADDITIONAL 2 YEARS SOFTWARE UPDATES & TECH SUPPORT PART NO: UKGC3308










AUTEL ADAS BUNDLES





ADAS

If you already have an MS908 or MS Elite, simply buy the ADAS software when you buy your ADAS frame to upgrade your tool

MS909

If you buy either the Basic Package or the Common Package, but don't have an existing MS908Pro or Elite, then it is possible to buy a ADAS MS909 at the same time.



CALL FOR LATEST PRICE

BOSCH ADAS

SYSTEM PART NO: DAS3000

New bumper plate for precise distance measurement to the bumper. Printout which documents the correct alignment of the calibration device. Controlling vehicle specific calibration easily with diagnostic software ESI[tronic] 2.0 Online, in conjunction with KTS (not included – see page 27), conforms with OEM requirements.Trolley with universal fixture designed for installation of multiple Target boards: rapid and accurate 1-point, 2-point and sequential calibrations. XL Multi-function board covers all OEM Radar mounting heights.



- State-of-the-art calibration equipment for front and rear facing camera & radar systems
- Camera-based for greater accuracy and increased speed
- Combined VAG target and radar reflector (included)
- Accurate positioning in relation to the ""vehicle driving axis""
 Universal wheel clamp with targets
- Automatic distance measurement (distance target via reference panel)
- Positioning software included (Requires DCU 220 or own laptop)
 Multibrand target support and all-makes capable with vehiclespecific calibration via Bosch ESI[tronic] 2.0 software."








ELECTRICAL TESTING

POWERHAND DIGITAL AUTOMOTIVE MULTIMETER PART NO: SIN-400.3150

- Overload protection
- · Low battery indicator
- K-Type temperature probe included





£107

POWERPROBE SENSOR TEST LEAD KIT PART NO: HU-PPESTLK

- · Contains a wide range of connection leads for quick & easy diagnosis of faults on most sensors, valves, solenoids, actuators, injectors, starter circuit, ignition coils and more on Asian & European cars, trucks, agricultural vehicles, boats and motorcycles
- Comes with a guide for adaptor lead sizes to use with different car makes
- Differs from other kits in that it includes Y-style leads for quick connection to meters or scopes, avoiding using time consuming straight through leads to make up test leads.



CAT IV 1000V & CAT IV 600V

£190

- Overload protection
- Low battery indicator
- K-Type temperature probe included
- IP67 rated

DIGITAL MULTIMETER CAT III PART NO: IDM-0003





POWERHAND IN-LINE SPARK PLUG TESTER PART NO: SIN-400.3121


- Quick easy check for presence of Spark
- Lights up when current is present
- · Perfect for intermittent HT faults
- Suitable for most Petrol engines











Each adaptor features a M12x150 thread, the other ends are M12x125 | M14x150 | M14x100 | M16x100

THE SELECTION OF ADDITIONAL TOOLS **AVAILABLE CAN TAKE YOUR MASTER SET EVEN FURTHER**

Perform precise and accurate tests on the most common diesel rail engines

2000bar sensor | Sensor plug for direct pump pressure | 2x M12x150 hoses for most common applications | Retrieving reservoir

When used with the HU-HU35025, this set provides all the hardware needed to perform precise and accurate tests for measuring and diagnosing the most common rail engines

HU-HU35026

abiliaols

SCREW-IN ADAPTORS M8x1 | M9x1 | M10x1 | M10x1.25 direct pump pressure (whilst cranking)

日田田

EASILY & SAFELY TEST THE DIESEL **COMMON RAIL** PRESSURE Suitable for both in-line (engine running) and for

> For use with the most popular diesel pump brands on the market

HU-HU35028

UNIVERSAL FALSE INJECTOR

Simply mount in place of the original injector to perform a diesel compression test

> UNIVERSAL AUTOMOTIVE PRESSURE TESTER CAN BE USED WITH THE

INCLUDED OR ORIGINAL BRIDGE

Also suitable for engines featuring one bridge for 2 injectors

HU35025 HU35028 HU35026 HU35039 HU35031 HU35030 HU35037 Universal 90° Common Diesel Diesel glow plug Common rail Common rail **Diesel** injector rail adaptors diaital pressure high pressure compression dummy regulator hiah pressure compression tester (6pcs) kit adapter set cap set adapter £1,224 £315 £410 POA £110 POA £52





ELECTRICAL TESTING

Why do you need a PicoScope?

Could you use a scan tool instead of a labscope? No, you need both.

A scan tool only points you in the right direction, perhaps indicating a misfire on a specific cylinder, but rarely does it pinpoint a fault. For example, is the misfire caused by an ignition, injector, or a compression-related issue?

Reliance on a scan tool alone can lead you to "parts darts" where you might find yourself replacing more and more parts until the fault goes away.

PICO PICOSCOPE (SOMETIMES KNOWN AS A LABSCOPE) TURNS YOUR LAPTOP OR DESKTOP PC INTO A POWERFUL DIAGNOSTIC TOOL



		FULL RANGE OF	KITS AVAILABLE	
	2-Channel Starter Kit	4-Channel Starter Kit	2-Channel Standard Kit	4-Channel Standard Kit
CALL FOR	4-Channel Diesel Kit	4-Channel Advanced Kit	4-Channel Master Kit	4-Channel Accessors Kit
LATEST PRICE	4-Channel EV Kit	Off-Highway Elite Kit	Off-Highway Entry Kit	Off-Highway ExpertKit
			6	

AVAILABLE

GYS DENT PULLING WORKSTATIONS PART NO: 53618

EASYLINER 39.02

- Remove dents without disassembling
- Repair without replacing
- Reduce the down-time
- Increase your margin
- Improve your profitability



Complete kit available U53018

£1,336



GYS AUTOPUI S

AUTOPULSE 220-M1 WITH ACCESSORIES PART NO: 65024

PART NO: 65024

- AUTOPULSE 220-M1 is the MIG / MAG pulsed generator with integrated wire feeder for car body repairs
- Equipped with a digital PFC (Power Factor Correction) it supplies pulsed welding quality comparable to three-phase products. Designed for the highest performance it features several synergic curves and exceptional arc quality
- Versatile, it can carry out all types of welding: Steel, Aluminium and Brazing
- Welding processes : standard, pulse, pulse in pulse, cold pulse and manual
- Trigger modes : 2T, 4T, SPOT, DELAY and TACK function
- Its full synergic mode determinates automatically the optimal welding parameters which can be adjusted (wire speed, voltage, current, self)
- 4 microprocessors to give four times the processing power. Wheel drive system with 2 active drive rolls. Suitable for wire reels of Ø 200 mm. Automatic torch detection while pulling the trigger
- Large colour screen for easy control of the welding cycle set up.
 2 control knobs and 4 keys for easy and intuitive navigation of the menus. Updatable machine and synergies via USB key. Save up to 500 welding programs for repetitive tasks



FINANCE OPTIONS AVAILABLE





Bodyshop

LASER PULLING TOWER PART NO: 92657



- Portable pulling tower suitable for use on steel & aluminium panel repair
- Pulling force up to 550kg

£999

- Counterbalanced by a pneumatic suction anchoring plate, therefore no fixings required
- Dimensions: 350 x 350 x 1650mm
- Weight: 20kg
- Adjustable mechanical hoist with 15 height positions
- Supplied with hook gripping head, eyebolts & hooks

LASER VERTICAL PULL KIT FOR PULLING TOWER PART NO: 92660



- An additional anchoring plate / suction pad specifically for use with the Power-TEC Pulling Tower (Part No. 92657
- Provides an additional anchor point to counterbalance the tower to be used vertically
 Dimensions: 280 x 330mm
- Attaches via pneumatic suction, from the workshop air supply, therefore no fixings required

£300

- LASER POLE EXTENSION FOR PULLING TOWER PART NO: 92659
- A steel extension pole specifically for use with the Power-TEC Pulling Tower (Part No. 92657), which adds an additional 700mm with 7 adjustable height positions and allows the tower to be used on truck and van roof panel repairs.





Bodyshop

LASER COLD GLUE DENT PULLING KIT PDR

PART NO: 92645

- An innovative PDR dent pulling kit that uses cold glue rather than hot glue. With only the heat from the user's hands required to prep the glue for use, no external heat source is required. The kit includes a guide handle together with slide hammer for dent pulling, and is supplied in a rugged blow mould storage case
- Paintless dent removal using hand warmed 'cold glue'
- Kit includes: 4 alloy glue adaptor pads, slide hammer, hand-pull handle and 50g of cold glue
- No need for external heat source, gas or electrical power
- Glue is easily removed by hand and can be reused if kept clean and free from grease. Replacement glue available, see Power-Tec Part No. 92646
- Safe for use on all vehicle types including EV/Hybrid vehicles. No risk of voltage spikes (associated with traditional 'welding' repair methods).



LASER COLD GLUE 50G FOR PDR

PART NO: 92646

- 50g of cold glue, suitable for use as part of a paintless dent repair (PDR) or automotive body repair. Used as an alternative to a hot glue system, this sticky adhesive is warmed up in the user's hands before use or use with most PDR dent removal kits, such as Power-Tec Part No. 92645
- No need for external heat source, gas or electrical power
- The glue is easily removed by hand
- The glue can be re-used if kept clean and free from grease
- Supplied in metal storage tin.



£30

PLASTIC WELDING

GYS GYSPOT 3902

PART NO: 52215

- 230V steel dent puller with 3800A output current, ideal for all steel straightening and dent pulling jobs
- Simple to use thanks to its automatic gun and its user friendly control pane
- The welding is triggered automatically by a simple contact between the tool and the part to straightened

READY TO USE

- Earth cable 70 mm² (2m long cable)
- Multi function gun (2m, 70 mm² cables with connector)
- Inertia hammer Dent pulling with stars Welding of studs, rivets and rings • Contact shrinking, graphite pen. 4m long mains supply cable an accessories box with consumables

OPTIONS

Manuspot / Trolley / Levelling bar / Quick spot air gun





2 CEMPE



🖪 Bodyshop

PLASTIC WELDING

GYS

CORDLESS STAPLER FOR BUMPER REPAIRS

PART NO: 58118

- APPLICATIONS
- BumpersDashboards
- Trim
- All type of plastics without disassembling
- Rechargeable lithium battery

 Work LED light at the tip of the tool (to get better precision in darker environments) + Adjustable stapler head (90° to 135°)

SUPPLIED WITH

- Transport case
- Charger 230V
- 100 staples (type U: 0,6 mm - 0,8 mm)
- 100 staples (type V : 0,6 mm)

£530

GYS PLASTICS WELDING KIT WITH CONSUMABLES AND SCRAPER

PART NO: 70974

- Repairs
- Bumpers Radiator grill Headlight surroundings -Body panel
- Easy to use, the hot air plastic welding station is designed to weld vehicle plastic parts
- wide adjustable temperature range (160-480°C) raises the temperature of the plastics to their melting point making them soft and easily repairable
- air flow rate can be adjusted to maintain a homogeneous fusion of the plastic
- LCD Screen
- Optional Trolley available



GYS GLUE PULLER PRO KIT

WITH DILUENT SPRAY

PART NO: 58699

• Paintless dent repair set. Ideal complement to all dent pulling systems. Glue Puller Pro adapted for steel and aluminium

BENEFITS

- No grinding of the car body
- Reduced operation tim
- Limited immobilization time of the vehicle
- No paint touch ups

COMPLETE SET READY TO USE

1 Case 2 Glue Lifter 3 6 tips (2 x Ø 32 mm, 2 x Ø 20 mm et 2 x Ø 15 mm) 4 Diluent spray 5 250 W glue gun (140°C > 220°C) 6 10 glue sticks: - x 5 white: for ambient temperature >20°C - x 5 transparent : for ambient temperature









Welding & Heat Induction

GYS INVERTER MIG WELDER 200AMP

PART NO: 66595

Inverter MIG welder 160Amp with digital display for fast set up of welding parameters, no more blowing holes in panels!! Adjustable arc dynamic. Suitable for automotive workshop use welding steel, stainless & Aluminium (up to 10mm)

240VOLT

- Use gas or gasless
- Takes 0.6mm 1mm wire
- Fast set up guide on control panel
- Bright digital display
- Complete with MIG torch, arc electrode holder
 & earth lead



£890

GYS 25AMP PLASMA CUTTER PACK EASYCUT 25

PART NO: 72046

- Powerful 25Amp plasma cutter ideal for cutting most types of metal up to 8mm. Compact & lightweight with an easy to use control panel.
- Features no contact arc ignition
- Powerful but compact plasma cutter
- Max cut 8mm steel (6mm Aluminium)
- Clean cut 6mm steel (4mm Aluminium)
- Quality Trafimet torch with quick change consumables
- · Ideal for both vehicle workshops & body shops



£690





GYS INDUCTION HEATER AND TROLLEY KIT PART NO: U20226



Straight Inductor head included PART NUMBER: 067899

Heavy duty induction heater which produces instant flameless heat. Ideal for automotive workshop use eg. Track rod ends, manifold bolts, bleed nipples, lambda sensors etc

Removing Oxy-Acetylene from your garage could save up to 30% on your insurance

Up to 92% cheaper to run than gas

- 3700 Watt output (240V)
- Liquid cooled for intensive use
- Heats a M10 nut in 1 second
- Safe to use no risk of burning components
- Additional straight inductor headIdeal for alloy wheel nut removal





Welding & Heat Induction

SIP **1500W INDUCTION HEATER KIT**

PART NO: 1156

- SIP 1500w Induction Heater Kit is ideal for heating and releasing rusted-on or hard-to-remove parts such as nuts, bolts and fastenings. Designed for use in garages, workshops or automotive environments Powerful and compact (1500w)
- Reaches temperatures of 800°C in 20 seconds
- 4-piece induction kit supplied
- Easy-to-use, simple to power design
- · Lightweight and portable with strap

£650

GYS

ARC WELDER 160AMP

PART NO: 36635



- Gysmi E163
- Suitable for all types of electrodes such as steel, stainless steel or cast iron
- Very good penetration and perfect arc stability
- Delivered in a case with earth clamp and electrode holder
- IP21 protection rate, it is suitable for outdoor work on site



- Low consumption of 16A-230V
- Protected and compatible with a •

- Anti-sticking
- .

GYS

COLOUR PART NO: 37908

- Generator 6Kw
- Inverter technology
- Adjustable hot start
- Arc force

Essential for safety, the GYSMATIC TRUE COLOR XL

LCD GYSMATIC 5/13 TRUE

- optoelectronic hood protects the welder's face and eyes from UV, infrared and splashes
- · Fully automatic, the mask switches from clear to tinted state in a fraction of a second as soon as it is primed
- Optimum visibility: XL screen High sensitivity thanks to 4 sensors • TIG welding > 2A • Active filter : shades 5-9 / 9-13 Range 5-9 : special low intensity
 Choice of 7 dark shades (5>13) to suit all your operations welding and cutting. • **TRUE COLOUR technology**







Welding & Heat Induction

GYS

INVERTER MIG WELDER MIG-MAG SINGLE PHASE SYNERGIC

PART NO: 32903

- M1 GYS AUTO with accessories
- The M1 GYS AUTO is a single phase MIG-MAG, with torch connector, recommended for welding steel, stainless steel, aluminium and for MIG brazing of high-tensile strength steels with CuSi and CuAl wires (ideal for car body repairs)
 SYNERGIC MODE
- The machine determines the optimum wire speed by selecting: the type of wire - the wire diameter - the welding current • SPOOL GUN CONNECTOR
- The Spool Gun torch is ideal for car body repairs of aluminium, AISi5 and AISi12
- 4 DRIVE ROLLS MOTOR
- Suitable for ø200mm and ø300mm wire reels (15kg max) • Saving welding parameters
- Memory save feature for each torch and activation of the 'last used' welding parameters (wire diameter, wire type & mode)
- 3 Welding modes available
- Standard (2T) Spot Delay
- Accessories
- Delivered with: 1 torch 150A 3m 1 earth clamp 200A 3m (regulator not included)



<image>

GYS INVERTER MIG WELDER AUTOPULSE 220-M1

PART NO: 65024

- The AUTOPULSE 220-M1 is the MIG / MAG pulsed generator with integrated wire feeder for car body. Equipped with a digital PFC (Power Factor Correction) it supplies pulsed welding quality comparable to three-phase products. Designed for the highest performance it features several synergic curves and exceptional arc quality. Versatile, it can carry out all types of welding: Steel, Aluminium and Brazing (CuSi3/CuAl8). Its intuitive interface and its high precision wire feed are ideal for car-body with best welding quality even on thin sheet
- 3 interface options for ease of use : EASY (simplified module) EXPERT (complete module) ADVANCED (specific modules)

£3,990





Compressors

NUAIR MICRO

- Compact design and very quiet • operation
- Simple Electro-mechanical control . . Advanced cooling system
- POLY-V belt drive system •

LATEST PRICE

CALL FOR

- IE3 High efficiency Motors •
- · High quality air
- Long life and reliability . Flexible Range - 2.2kW - 5.5kW .



FINANCE OPTIONS AVAILABLE (£)

									-					
FIXED SPEED RECEIVER MOUNTED														
PART NUMBER	MODEL		START	ĸw	НР	VOLT	L/MIN	CFM	BAR	PSI	DB(A)	KG	LXWXH (MM)	OFFER PRICE
F-V77JT60FNM501	MICRO SE 2.2- 10 M - 200	200	DOL	2.2	3	230	240	8.5	10	145	58	144	1440 x 510 x 1280	£ 2,869
F-V77JP92FNM701	MICRO 4.0-10 - 200	200	SDS	4	5.5	400	485	17.1	10	145	60	151	1440 x 510 x 1280	£3,154

FIXED SPEED RECEIVER MOUNTED WITH DRYER														
PART NUMBER	MODEL		START	кw	НР	VOLT	L/MIN	CFM	BAR	PSI	DB(A)	КG	LXWXH (MM)	OFFER PRICE
F-V77JT60FNM601	MICRO SE 2.2- 10 M-200 ES	200	DOL	2.2	3	230	240	8.5	10	145	58	144	1440 x 510 x 1280	£3,848
F-V77JP72FNM801	MICRO SE 4.0- 10 - 200 ES	200	DOL	4	5.5	400	485	17.1	10	145	60	180	1440 x 510 x 1280	£3,996

NUAIR CUBE

- Four maintenance timers
- Auto-restart after power failure.
- . Programmable cooling fan temperature

CALL FOR LATEST PRICE

- Programmable remote control starting
- Flexible range 4kw 7.5kw with freestanding cabinet or with 270lt & 500lt air receiver and with on board refrigerated dryer.



FINANCE OPTIONS AVAILABLE (f)

				FIXE	O SPEE	ED REC	EIVER	MOU	NTED					
PART NUMBER	MODEL		START	ĸw	НР	VOLT	L/MIN	CFM	BAR	PSI	DB(A)	КG	LXWXH (MM)	OFFER PRICE
V91PO92FNM201	CUBE 7.5-10- 270	270	DOL	7.5	10	400	1050	37.1	10	145	67	194	1200 x 600 x 1450	£3,809
	EIXED SPEED RECEIVER MOUNTED WITH DRYER													

				FIXED	SPEE	D REC	EIVER	MOUR	NIED	VIIHL	DRYER				
PART NUM	1BER	MODEL		START	кw	НР	VOLT	L/MIN	CFM	BAR	PSI	DB(A)	КG	LXWXH (MM)	OFFER PRICE
V91PO92FN	IM301	CUBE 7.5-10- 270 ES	270	DOL	7.5	10	400	1050	37.1	10	145	67	215	1200 x 600 x 1450	[£] 4,784

NUAIR G-TEC

- · Unique full feature air compressor station
- Simple installation
- Quiet operation

CALL FOR LATEST PRICE

Advanced cooling system Simple maintenance •

Sophisticated controls

•

•

- POLY-V belt drive system •
- High quality compressed air High pressure version
- Long life and reliability



FINANCE OPTIONS A AVAII ABI F

FIXED SPEED RECEIVER MOUNTED WITH DRYER + DUAL FILTRATION														
PART NUMBER	MODEL		START	ĸw	НР	VOLT	L/MIN	CFM	BAR	PSI	DB(A)	КG	LXWXH (MM)	OFFER PRICE
PS-V91SP- 92PWG380	G-TEC 1110-270 DF	270	SDS	11	15	400	1500	53.0	10	145	65	350	1560 x 700 x 1580	£5,739

Garage Essentials



Compressors

- NUAIR BELT DRIVEN, SINGLE STAGE COMPRESSORS
- Low Noise
- Portable belt drive TECH series compressor with convenient control panel, larger wheels and long handle for maximum portability
- Fitted with the new and highly regarded B28B PRO Low Noise compressor pump unit

CALL FOR LATEST PRICE

MADE IN EUROPE 1 year warranty on compressor, 2 year warranty on pump (subject to T&C's)

Lubricated design for longer life
and lower noise

- Advanced cooling system which concentrates cooling air flow to the
 - compressor head Simple maintenance
- Simple maintenance

v to the

B2800

NULL OF

NUT

BELT DRIVEN, SINGLE STAGE COMPRESSORS												
PART NO:	MODEL	мо	FOR	CAPA	CITY	PRES	SURE		NOISE	VOLT	AMP	OFFER
PART NO:	MODEL	КW	HP	L/MIN	CFM	BAR	PSI	LT	DB(A)	VOLI	AIVIP	PRICE
S-28HA504FPS135	NB2800B/150/3M/TECH PRO	2.2	3	355	12.5	10	145	150	76	230	13	[£] 644
S-28LA504FPS136	NB2800B/200/3M/TECH PRO	2.2	3	355	12.5	10	145	200	76	230	13	£662
S-36HN504FPS142	B3800B-PRO/150 FM3 UK	2.2	3	355	13.95	10	145	150	77	230	16	[£] 658
S-36LN504FPS141	B3800B-PRO/200 FM3 UK	2.2	3	355	13.95	10	145	200	77	230	16	£ 683
S-36LN541FPS143	B3800B-PRO/200 FT3 UK	2.2	3	395	14	10	145	200	77	400	16	£725

BELT DRIVEN PROFESSIONAL AIR COMPRESSORS - VERTICAL

- Fitted with proven Low Noise B38B single stage lubricated compressor pump unit
- Advanced cooling system that directs cooling air to the head, valves and after-cooler for lower temperatures
- Belt driven arrangement allows lower speed operation and reduced noise levels
- Economical stop/start control

CALL FOR LATEST PRICE

MADE IN B3800 A 16 AMP 1 year warranty on compressor,

			2 ye	ear warra	nty on p	ump (sui	oject to	T&C'S)				and the second second
BELT DRIVEN, SINGLE STAGE, VERTICAL COMPRESSORS												
	MODEL	MO	TOR	CAPA	CITY	PRES	SURE	RECEIVER	NOISE	VOIT	OFFER	
PART NO:	MODEL	кw	HP	L/MIN	CFM	BAR	PSI	LT	DB(A)	VOLT	PRICE	
S-36HY504FPS149	B3800B-PRO/150 FM3 UK	2.2	3	355	13.95	10	145	150	77	230	£ 798	
S-36HY684FPS168	NB3800B-PRO/150V 4FM	3	4	495	18	10	145	150	77	230	£1,053	

NUAIR

BELT DRIVEN, TWO STAGE, VERTICAL COMPRESSOR

- Fitted with proven NB5 lubricated compressor pump unit
- Advanced cooling system that directs cooling air to the head, valves and after-cooler for lower temperatures
- Belt driven arrangement allows lower speed operation and reduced noise levels
- High quality electric motor, 4kW (5.5Hp) 400v/3/50hz with full overload protection

CALL FOR LATEST PRICE

 MADE IN EUROPE
 1 year warranty on compressor,

 2 year warranty on pump (subject to T&C's)

BELT DRIVEN, TWO STAGE, VERTICAL COMPRESSORS											
PART NO:	MODEL	MO	MOTOR		ACITY	PRESSURE		RECEIVER	NOISE	VOLT	OFFER
PART NO:	MODEL	кw	HP	L/MIN	CFM	BAR	PSI	LT	DB(A)	VOLI	PRICE
S-N5NY701FPS070	NB5/5.5FT/270V	4	5.5	640	22.9	11	160	270	77	400	£1,400

Wheel Alignment

TIROPLUS TYRE CHANGER & WHEEL BALANCER PACKAGE DEAL

TECALEMIT TTC/TIROPLUS TYRE CHANGER

- Clamping range 10" 26" Max Wheel diameter 1070mm
- Max Wheel width 380mm
- •
- Bead breaker force 2800kg Assistant system with 3 operating
- arms • TIROROLLER - Assists with the
- removal of the tyre from the rim TIROFOLLOWER - Follows the wheel
- rotation through the fitting cycle TIROLIFTER DISC - Assists with the lifting of the lower bead during tyre removal



TECALEMIT **TBM/TIROPLUS WHEEL** BALANCER

- Internal data entry & weight positioning arm
- Adhesive weight position guide
- Automatic rotation & positioning via One-
- touch operation Hidden Weight' and weight optimisation programs
- Data memory stores common wheel size combinations

£3,995





TECALEMIT TYRE CHANGERS

- Tecalemit G-frame concept* eliminates chassis flex
- Leverless operation* ideal for
- **RFT** technology Variable speed turntable* -
- precise control
- Frao Control bead breaker*helps prevent damage

MODEL NO.	DESCRIPTION
TTC/9620/T	22" Tyre Changer with Technoroller
TTC/9624S/T	24" Tyre Changer with Technoroller & Ergo Control
TTC/9628S/T	28" Tyre Changer with Technoroller & Ergo Control
TTC/9628S/LL/T	28" Tyre Changer with Technoroller & Ergo Control
TTC/9630S/T	Tilt Back Tyre Changer with Centre Post Locking
	*Model Dependent Specifications

Buy as a Combo **Deal and Save** even more

WHEEL BALANCERS 65, 70 or 80kg chassis's

TECALEMIT

- adequate capacity Internal rim illumination*
- visible weight positioning
- Laser weight positioning* - precise weight placement
- Pneumatic clamping* - reduces effort

FINANCE OPTIONS AVAILABLE

MODEL NO.	DESCRIPTION
TBM/960A	65kg Chassis, LED Display
TBM/V/985A	65kg Chassis, Video Display
TBM/9165L	70kg Chassis, LED Display
TBM/V/9660L	70kg Chassis, Video Display
TBM/WAVE5	80kg Chassis, Sonar

TECALEMIT F10 HIGH PERFORMANCE, **HIGH EFFICIENCY**

PART NO: TTC/F10/RAL7040

- S-TALON Tyre Leverless System
- Mechanical central clamping
- Variable speed turning pedestal
- Double synchronize bead breakers
- Tyre side lift
- Tubeless inflation device







_{Garage} SSentials



Wheel Alignment

4 WHEEL LASER ALIGNMENT



TECALEMIT GTR/400 SERIES

- 4-wheel laser alignment system
- Precision engineered components
- High resolution laser .
- In built laser levelling system .

TECALEMIT

in real-time

GTR/8400 3D 4

alignment measurements

3D model allows you to see

alignment angles on the screen

CAMERA WHEEL

ALIGNER PART NO: GTR/8400

Four wide-angle cameras provide

- Easy quick set up time Suitable for wheel from 12" - 23"
- Low clearance measuring heads to clear front spoilers
- Optional digital camber/caster gauge upgrade available
- Version available with Zigbee wireless interface and Autodata database for live readings



GTR/400/LITE

MODEL NO.	DESCRIPTION
GTR/400/LITE	Laser Aligner with Wall Hanger
GTR/400/PRO	GTR/400/LITE + Turnplates & Clamp
GTR/420/W	Laser Aligner with On-dock Charging
GTR/420/W/KIT	GTR/420/W + Camber/Caster Gauge
GTR/430	Trolley Based Aligner with Autodata

GTR/430

CALL FOR LATEST PRICE

FINANCE OPTIONS AVAILABLE

TECALEMIT GTR/3020 PC BASED WHEEL

ALIGNER PART NO: GTR/3020

- Full 4 wheel 8 CCD alignment system
- Quick and easy measurements

E

C

Δ E М

- Wireless CCD measuring heads
- Precision measurement of angles
 - **CALL FOR** LATEST PRICE

FINANCE OPTIONS AVAILABLE

- · Haweka Pro-clamp wheel
- mounting system
- PC controlled with Windows
- operating system Extensive vehicle database
- Colour before / after printout





Wheel and Tyre

TECALEMIT

TIRO PLUS PACK

TTC TIRO PLUS & TBM TIRO PLUS PART NO: TTC/TIROPLUS/1 & TBM/TIROPLUS

TYRE CHANGER TTC TIRO PLUS

PART NO: TTC/TIROPLUS/1

- Clamping range 10" 26"
- Max Wheel diameter 1070mm
- Max Wheel width 380mm
- Bead breaker force 2800kg
- Versatile three arm assistant system, ideal for RFT Tyres
- TIROROLLER Assists with the removal of the tyre from the rim
- TIROFOLLOWER Follows the wheel rotation through the fitting cycle

TIR

100

and the second

3.0

FINANCE OPTIONS AVAILABLE

 TIROLIFTERDISC Assists with the lifting of the lower bead during tyre removal



CALL FOR LATEST PRICE

TECALEMIT WHEEL BALANCER TBM TIRO PLUS

PART NO: TBM/TIROPLUS

- Internal data entry & weight positioning arm
- Adhesive weight position guide
- Automatic rotation & positioning via One-touch operation
- Data memory to store common wheel size combinations
- Hidden weight and optimisation facility

CALL FOR LATEST PRICE





HOFMANN GEODYNA 7200 WHEEL BALANCER

PART NO: EEWB768AE1

Make the most of a video display along with advanced data input and patented measurement systems thanks to the Hofmann Geodyna 7200 video wheel balancer, which is designed for cars, light trucks and motorcycles

- 2D SAPE (Semi-Automatic Parameter Entry): Measure the wheel offset and wheel rim diameter in one process
- Hidden weight mode: Place adhesive weights behind spokes, giving you an appealing cosmetic finish
- VPM measuring system: Achieve accuracy and reliability by limiting discrepancies caused by changes in ambient temperature
- Tyre matching mode: Optimise tyre to rim and use fewer weights
- Small footprint: The compact unit makes the most of your garage space
- QuickBal: Reduce measurement time by 30%
- · EasyAlu: Automatic configuration of the inside position for weight
- Constant measuring speed
- User friendly interface with video display







HOFMANN GEODYNA 7100 WHEEL BALANCER

PART NO: EEWB767AE1

Includes 2D SAPE (Semi-Automatic Parameter Entry) to measure wheel offset and wheel diameter in one process, the VPI measuring system for high accuracy, and split weight mode to hide weights behind spokes for a better finish.

Pair up the Geodyna 7100 with the Hofmann Monty® 3300 20 Smart tyre changer to create a tyre and wheel service package for your workshop

- 2D SAPE (Semi-Automatic Parameter Entry): Measure the wheel offset and wheel rim diameter in one process
- Hidden weight mode: Place adhesive weights behind spokes, giving you an appealing cosmetic finish
- VPM measuring system: Achieve accuracy and reliability by limiting discrepancies caused by changes in ambient temperature
- Tyre matching mode: Optimise tyre to rim and use fewer weights QuickBal: Reduce measurement time by 30%
- User friendly LED interface: The display guides you through the balancing process step by step





Wheel and Tyre

HOFMANN

```
3300-24 TYRE CHANGER
```

PART NO: EEWH762AED

Use automatic turntable speed control while also dealing with larger and ultra-high performance tyres with the Hofmann Monty 3300-24 smartSpeed tyre changer.

It offers a high productivity speed via the built-in smartSpeed inverter technology which automatically controls the speed of the turntable dependant on the torque required when mounting/demounting the tyre, along with a large 24inch outer clamping range.

Pair up the Monty 3300-24 smartSpeed with the Hofmann Geodyna® 7200 wheel balancer to create a tyre and wheel service package for your workshop.

- Pneumatic tilting column: Move the tilting column backwards easily so you are free to access the tyre
- Assist arm: Mount and demount tyres with ease using the drop centre & rim centre pressing tools
- Two pneumatic cylinders: Get a 30-40% increase in clamp force compared to single cylinder designs
- Mount/demount function: The steel head and plastic inserts protect the wheel rim when mounting and demounting tyres
- smartSpeed: Automatically select the best speed for the operation being performed giving you a more controlled operation
- Built in tool box, tyre inflator and standard gauge: Provides ease of use and ergonomic benefits
- Wheel clamps: The 3300 24 has a total clamping up to 28in (with additional adaptors; 24in as standard)

CALL FOR LATEST PRICE



SPECIAL OFFER: PACKAGE DEAL







CONTINENTAL 3.0T MIDRISE SCISSOR LIFT PART NO: S.30H SL MH

- · Premium Quality German manufactured with an attractive checker plate design
- Dual hydraulic system double cylinder in every scissor, no air supply necessary
- · Base frame hot-dip galvanized
- Platforms made from slip-resistant bulb plate • 3-Year Parts only Warranty, Self-installation
- · Installation available at extra cost

TECALEMIT SCISSOR LIFTS

- Short platform and full length options
- Mid-rise and full height options
- Surface and recessed options
- · Single and 3 phase options
- Wheel alignment and ATL MOT options





Ideal for servicing, brake work & tyre bays

FINANCE OPTIONS AVAILABLE

SCISSOR LIFT		
MODEL NO.	CAPACITY	PLATFORM LENGTH / CONFIGURATION
SF/9130/1/SI	3.0T	1.4m Surface Mounted, Mid-rise
SF/8993	3.5T	1.4m Surface Mounted, Full height
SF/8994	4.0T	1.5-1.9m Recessed, Full height
SF/9095/EV	4.5T	4.8m Recessed, Full height
SF/9065/EV	5.0T	5.2m Recessed, Full height
SF/9440	4.0T	4.8m Low profile, Full height
SF/9130/1/SI only available as single phase and is a self-installed lift, installation is available at an additional cost.		
		E FINANCE OPTIONS

Lifting

2 POST LIFTS

NEW

EV[/]**READ**Y LIFTS


Interchangeable Forks for lifting EVs by their wheels

CALL FOR LATEST PRICE

TECALEMIT SF/9235/EVR/KIT EV READY 3.5T 2-POST LIFT

- · Simple & easy to swap between lifting pads & forks
- Baseless design with clear floor between columns
- Suitable for lifting vehicles up to 3500kg GVW
- Asymmetrical, 3-stage lifting arm design •
- Low pad lifting height of just 95mm
- Fast lifting time of 45 seconds







TECALEMIT SF/9492 4.0T HYDRAULIC 2-POST LIFT

- Low lift pad height of just 98mm
- 'Soft-Start' Bosch Rexroth compact power module
- 3 stage symmetrical arms for lifting a wide range of vehicles
- Optional high lift pad extensions for lifting vehicles with higher ground clearance available

FINANCE OPTIONS AVAILABLE

TECALEMIT 2-POST LIFTS

- A range of mechanical and hydraulic lifts
- Base frame and baseless options
- Single and 3 phase options • Ideal for servicing and
- transmission work

Options for a small car right up to a long wheelbase van

FINANCE OPTIONS	2
	2

2-POST LIFTS			
MODEL NO.	CAPACITY	PAD HEIGHT / CONFIGURATION	
SF/9010/H	3.0T	90mm, Mechanical with Base	
SF/9230	3.0T	95mm, Mechanical Baseless	
SF/9010/H/32	3.2T	90mm, Mechanical with Base	
SF/9035	3.6T	90mm, Mechanical with Base	
SF/9224	4.0T	103mm, Mechanical Baseless	
SF/9023	3.2T	95mm, Hydraulic Baseless	
SF/8893	4.0T	125mm, Hydraulic Baseless	
SF/9025	5.0T	125mm, Hydraulic Baseless	
SF/9196	5.5T	125mm, Hydraulic Baseless	
SF/2700	7.0T	127mm, Hydraulic Baseless	
Single phase upgrades only available on hydraulic lifts at an additional cost.			







TECALEMIT COMMERCIAL VEHICLE COLUMN LIFTS

- SF/9490 Wireless 4 unit mobile column lift
- 30.0t total capacity (7.5t per column)
- 120-second lifting time
- Adjustable wheel forks
- Expandable to 6, 8 or 12-column configurations
- Powered by rechargeable 24v batteries

- Advanced synchronization system for smooth lifting
- Height limit switch for safetyMechanical lock on each column
- 24v Control panel with up/down button and emergency stop on all columns
- · LCD for current height, battery level, and mode type
- Completely mobile with no cables or trip hazards





62 For orders and more information call **0121 749 8801**

Mon - Fri 8.00am - 5.30pm

Lifting

IADE IN

LIFTMASTER

'WIDE' ELECTRO/MECHANICAL BASELESS EV 2 POST LIFT c/w symmetrical rotating arms

SPECIFICALLY SUITABLE ELECTRIC VEHICLES & DROP IN HEIGHT EXTENSIONS PART NO: LMS3500EV

- The innovative low-profile arms with rotating terminal offer incredibly flexible use, making the lift suitable for lifting all types of vehicles - from the standard city cars to sports cars - including the most modern electric vehicles - up to the VW T6 with long wheelbase
- Automatic lubrication system to ensure constant lubrication during lifting & descent
- Electro-Mechanical Synchronisation ensures the carriages are kept within a 20mm level tolerance
- Low pad height of 96mm
- Front arm reach: 792mm to 1,200mm
- Rear arm reach: 792mm to 1,200mm

CALL FOR LATEST PRICE




CONTINENTAL 3.0T 2-POST MECHANICAL LIFT PART NO: 2.30M SL

ART 100. 2.3000 3E

- Premium Quality German manufactured lift
- Carriage fitted with 4 maintenance free roller bearings
- Electronically synchronised columns made from hot rolled steel
- 3 year warranty as standard
- 2-Post lift Includes delivery & installation to a prepared site







LTO





2 POST LIFTS

LIFTMASTER

BASELESS, ELECTRO/HYDRAULIC, ASYMMETRIC 2 POST LIFT C/W 2 STAGE ARMS, C/W 65MM EXTENSIONS

SINGLE PHASE PART NO: LME4001 | 3 PHASE PART NO: LME4003

- Baseless two post lift, clear floor with no obstructions, easy to use.
 Mechanical safety latch with automatic engagement ensuring maximum safety when lift is in standing position
- Top shut-off bar to prevent damage when lifting high vehicles
- Twin hydraulic rams are designed for intensive use and minimise down time, by requiring little maintenance
- Robust arm locking device
- 4 x 65mm height extensions included

CALL FOR LATEST PRICE





BENDPAK

2 POST LIFT – CLEARFLOOR BI-METRIC TRIPLE REACH ARMS C/W SCREW PAD, 63MM & 125MM HEIGHT

ADAPTERS

PART NO: 10AP

- Exclusive Bi-Metric triple reach arm design for more versatile arm positioning
- Expandable top beam to accommodate wide or narrow drive-thru configurations
- Double-telescoping screw pads offer increased versatility
- Automatic arm restraints withstand over 900 Kg of side force
- Single-point safety release
- 14-piece standard adapter set







LIFTMASTER 'WIDE' ELECTRO/MECHANICAL BASELESS 2 POST LIFT C/W SYMMETRICAL 3 STAGE FRONT ARMS SUITABLE FOR DROP IN HEIGHT

EXTENSIONS PART NO: LMS3500W

- Automatic lubrication system to ensure constant lubrication during lifting & descent
- Electro-Mechanical Synchronisation ensures the carriages are kept within a 20mm level tolerance
- Low pad height of 95mm
- Symmetrical arm configuration with two long 4-stage front arms & two long 2-stage rear arms ideal to lift cars & car derived vans







FINANCE OPTIONS

Lifting

4 POST LIFTS



TECALEMIT 4-POST LIFTS

Ideal for MOT testing and wheel alignment



CALL FOR LATEST PRICE

SERVICE & MOT LIFTS			
MODEL NO.	CAPACITY	PLATFORM LENGTH / CONFIGURATION	
SF/9436/SR	3.5T	4.3m, 120mm min. height	
SF/9006	4.0T	4.5m, 130mm min. height	
SF/9084	4.0T	5.0m, 165mm min. height	
SF/9250	5.0T	5.2m, 170mm min. height	
SF/8976	6.0T	6.0m, 190mm min. height	



FINANCE OPTIONS AVAILABLE

many models

Single and 3 phase options

•

•

•



Available in a range of lifting capacities & platform lengths

Radius plates and jacking beam can be fitted for MOT purposes on

Surface mount and recessed options

WHEEL ALIGNMENT LIFTS		
MODEL NO.	CAPACITY	PLATFORM LENGTH / CONFIGURATION
SF/9944/4	4.0T	4.0m, 190mm min. height
SF/9008/4	4.0T	5.0m, 200mm min. height
SF/9008/6	5.0T	5.2m, 190mm min. height
SF/9008/7	5.0T	5.7m, 155mm min. height
SF/8976/4	6.0T	6.0m, 190mm min. height
SF/9008/6 SF/9008/7	5.0T 5.0T	5.2m, 190mm min. height 5.7m, 155mm min. height



ATL & OPTL LIFTS		
MODEL NO.	CAPACITY	PLATFORM LENGTH / CONFIGURATION
SF/9254	4.0T	4.3m, 145mm min. height
SF/9057	4.0T	5.2m, 130mm min. height
SF/9257	5.0T	5.7m, 155mm min. height
SF/9265	5.0T	6.5m, 155mm min. height
SF/8976/ATL	6.0T	6.0m, 240mm min. height

FINANCE OPTIONS AVAILABLE





4 POST LIFTS

LIFTMASTER

CLASS IV 4 POST MOT BAY ATL 4 POST LIFT C/W 4460MM PLATFORMS, PLAY **DETECTORS, CAPTIVE TURN** PLATES & 2000KG JACKING BEAM. **ITALIAN ROLLER BRAKER TESTER & HEADLAMP BEAM ALIGNER**

PART NO: 4ATLEF446B

- A full site survey will be completed by our area sales manager, this will include a CAD layout plan of the MOT equipment and your existing workshop
- Full support will be given with all DVSA applications and sign off processes. These will be undertaken by our area sales manager.
- Flexible service, calibration & warranty plans are available
- · Groundworks can be undertaken by our inhouse team
- 4 Post Lifts can be upgraded to Scissor Lifts
- 4 Post Lifts or Scissor Lifts can include 'dual revenue' wheel alignment platforms.



BENDPACK

4 POST LIFT C/W 4166MM PLATFORMS PART NO: HD9



- Platforms accommodate wide or narrow vehicles
- Platforms include rail kit for jacking beam or
- optional accessories Optional caster kit available

£**5,038**

Internal "anti-sway" slider blocks in each column



FINANCE OPTIONS AVAILABLE



Class VII also available



BENDPACK 4 POST LIFT

C/W 4775MM PLATFORMS & EXTRA HEIGHT 2197MM PART NO: HD9XW



- Platforms accommodate wide or narrow vehicles
- Platforms include rail kit for jacking beam or optional accessories
- · Optional caster kit available
- Internal "anti-sway" slider blocks in each column








For orders and more information call 0121 749 8801

Lifting

HURRICANE MECHANICAL VEHICLE SKATES





Reliable ratcheting mechanism:
 Capable of offertlessly lifting a vehi

- Capable of effortlessly lifting a vehicle weighing up to 2.25T [567Kg capacity per jack]
- Heavy duty nylon castors:
- For low vibration and noise across most surfaces
- Premium Bearings: Allow for hassle free movement of the vehicle in any direction
- Ideal for a wide array of workspaces: Including workshops, body shops, showrooms and roadside recovery
- Fits tyre widths up to 11"

4 SKATES AND STORAGE RACK £399.99



	W06-3001	W06-3002
DESCRIPTION	VEHICLE SKATE - SINGLE	Rack for 3+1 Skates
WEIGHT CAPACITY	567kg per skate	-
FITS TYRE WIDTHS	Up to 11"	-



🖻 Lifting

TROLLEY JACKS

WINNTEC

LOW-PROFILE TROLLEY JACK CONT. **DESCENT 2 TONNE**

PART NO: SIP09701

- 2 Tonne maximum weight capacity
- 75 510mm lifting height range
- Ultra-low profile design for low vehicles •
- 'Turbo-Lift' system raises contact saddle to
- the vehicle surface in one swift motion
- Rubber grip and PU contact saddle pad


WINNTEC TURBO-LIFT TROLLEY JACK 3 TONNE PART NO: SIP09702

- 3 Tonne maximum weight capacity
- 120 450mm lifting height range
- 'Turbo-Lift' system raises contact saddle to the vehicle surface in one swift motion
- PU wheels reduces noise/floor damage
- Safety release valve for safe lowering
- Chrome-plated pistons and main ram

WINNTEC LONG CHASSIS **TROLLEY JACK 5 TONNE** PART NO: SIP09885

- 5 Tonne maximum weight capacity
- 150mm 680mm max. lifting height
- Designed for extreme heavy-duty operation
- Auto overload safety, universal joint valves
- Long ergonomic handle for better usage
- Steel wheels reduce noise and damage
- Integrated jack load control knob





£200

£200

Low profile

£690

Heavy duty

SEALEY SEALEY **STANDARD CHASSIS TROLLEY SHORT** JACK WITH AXLE **CHASSIS STANDS** PAIR **3 TONNE**

PART NO: SEA3010CX

valve

- VERSATILE LIFTING RANGE Minimum saddle height 133mm, maximum saddle height 515mm
- HEAVY-DUTY CASTORS AND LARGE SADDLE DESIGN
- SUPPLIED WITH 2x Pin Type Axle Stands, 3 Tonne
- SUITABLE FOR Loaded vans up to 3.5 Tonne GVW
- **FITTED WITH SAFETY** OVERLOAD AND PUMP through

LOW PROFILE TROLLEY JACK **ORANGE** 2 TONNE PART NO: SEA1020LEO

- LOW ENTRY LIFTING RANGE Minimum saddle height 85mm, maximum saddle height 385mm
- PROFILED LIFTING ARM Allows low clearance height making this
- unit suitable for sports
- ONE PIECE HYDRAULIC UNIT WHITE SADDLE Aids positioning
 - under vehicle HEAVY DUTY CHASSIS

SEALEY SHORT CHASSIS

TROLLEY JACK HI-VIS GREEN 2 TONNE

PART NO: SEA1050CXHV

- VERSATILE LIFTING RANGE Minimum saddle height 130mm, maximum saddle height 330mm
- **OVERLOAD PROTECTION**
- STRONG CHASSIS
 - EASY TO MANOEUVRE

SEALEY SHORT CHASSIS **TROLLEY JACK** WITH STORAGE


CASE 2 TONNE PART NO: SEA1050CXD

- VERSATILE LIFTING RANGE Minimum saddle height 130mm, maximum saddle height 330mm **OVERLOAD PROTECTION**
- EASY-TO-STORE Supplied in
- tough storage
- SUITABLE FOR The hobby user or as an emergency mobile jack

£80 £220 £60 £65 For orders and more information call 0121 749 8801 Mon - Fri 8.00am - 5.30pm

68

MOT



CONTINENTAL FULL ATL PACKAGE

CLASS IV & VII

- Scissor or 4-Post Lift option (Hydraulic Operation with attractive galvanised checker-plated platforms)
- Hydraulic Wheel Play Detectors (Wireless on Scissor lifts)
- Low-Profile Jacking Beam (Manual or Air Operated on Scissor lifts)
 MTS Connected Emissions Tester 27" Flat Screen, Printer, Keyboard & Mouse (Bluetooth or Cabled option) (Bluetooth includes OBD (VCI) Emissions Interface)
- Turnplates
- MTS Connected Brake Tester (Controlled Via Emissions unit)
- Hinged Galvanised Brake Tester cover plates as standard
- 4 X 4 Facility as standard
- Twin Laser Headlamp Aligner
- 2 x Convex Mirrors
- Brake Pedal Depressor

Premium DVSA Approved Automated Test Lanes for MOT testing with 3 year warranty

OPTIONAL

- Brake Tester adapter plate and software for motorcycle testing
 40" wall-mounted screen (Displays brake tester and emissions
- readings)

BENEFITS

- 3 years manufacturer's warranty
- Manufactured and supported in the UK
- Site survey Project management from conception to completion
- CAD drawing service
- Delivery and installation
- Includes first 5/6 months calibrations









TECALEMIT COMPLETE MOT PACKAGES FROM THE MOT EXPERTS



CALL TODAY TO ARRANGE YOUR FREE CONSULTATION







packages. Cable Protectors prevents chaffing, tangling and snagging, for longevity and reliability. Standard on all Tecalemit ATL 4-Post Lift





testing. Ideal for workshops with



width restrictions. Large 680mm square High Visibility LED brake tester display available as an optional

extra on Tecalemit

MOT packages.



Choice of platform lengths from 4.3m - 6.5m Choice of lifting capacities from 3.5T - 6.0T Available in ATL, OPTL or MOT specifications Options with or without emission tester Options to include Classes 1 & 2, 3, and 5





Class 1 & 2 Upgrades Available

70

For more information email garage.equipment@gsfgroup.com



TEXA ELIGHT

- eLight is the most advanced headlight alignment system on the market today, and the first with integrated electronic diagnostics.
- eLight's digital electronics use a built-in camera, a system of algorithms and integrated autodiagnostics to identify the type of headlight and to guarantee maximum precision of alignment.
- eLight can even produce a detailed report, based on digital analysis, for attachment to the garage worksheet, and is already fully compatible with the legislation governing PTI centres due to be introduced in 2021.

TILT ANGLE

- + Measuring range \pm 6% vertical; \pm 10% horizontal
- Accuracy \pm 0.1% vertical; \pm 0.2% horizontal

LUMINOUS INTENSITY

- Measuring range 150,000 cd 240 Lux/25 m
- Accuracy ± 5%

CONNECTIVITY LAN, Wi-Fi, RS232, Bluetooth

*Only ONED version



eLight: the first smart headlight

alignment system

CALL FOR LATEST PRICE





Tools

TRANSMISSION

LASER

TRANSMISSION SUPPORT ARM

PART NO: 8579

 Combined with a traditional gearbox jack the patented Laser 8579 simplifies gearbox removal and fitting by supporting the gearbox from above. It does this by attaching to a traditional vertical gearbox jack and providing a specially shaped arm that goes up the side of the gearbox

£200

LASER ATF OIL DISPENSER WITH ADAPTORS

PART NO: 5641

- A handy dispenser for replacing ATF transmission fluid
- 8 assorted adaptors for increased applications (see instruction booklet for adaptor applications)
 Manually operated pump with
- Manually operated pump with integrated pressure gauge



LASER MASTER CLUTCH KIT TROLLEY

PART NO: 62012

- Brings together all the musthave clutch tools from our catalogue in one kit including model specific tooling.
 Stored in its own
- Stored in its own dedicated 4 drawer trolley with engineered foam to keeping everything in place, the 62012 kit can be quickly



LASER DSG GEN1 & GEN2 CLUTCH SETTING GAUGE KIT PART NO: 7914

- Speeds up and simplify the fitting of DSG clutch kits to GEN1 and GEN2 DSG transmission systems, This has been specifically designed to work
- with Laser Clutch Puller and Press Kit





LASER

ENGINE/GEARBOX SUPPORT

PART NO: 5750

- Designed for transverse-engined vehicles, the frame will support the engine and/or gearbox when carrying out repair operations like clutch or gearbox removal, DMF change, removing and replacing engine and gearbox
- mounts, for cam belt replacement, etcWith car on ramp, engine/

gearbox position and height can be adjusted from underneath

£215



LASER ATF ADAPTOR SET 20 PIECE PART NO: 7606

- A comprehensive range of transmission fluid (ATF) refilling adaptors for many makes of vehicles
- For use on automatic transmissions without a dipstick and with most ATF Oil Dispensers
- Application list available with cross reference to numbered products - please see useful downloads below
- Manufactured from composite material

£72

LASER WET PLATE DOUBLE CLUTCH REMOVAL & FITTING KIT FOR VW GROUP

PART NO: 8136

£250

- Includes all the special tools required to remove and refit the wet style double clutch assembly found across the VW Group vehicle range.
- Use with DTI gauge and stand like Laser 6084 or similar



Most comprehensive clutch kit yet!

LASER DSG CLUTCH REMOVAL KIT FOR VAG PART NO: 6718

 DSG clutch removal tool set for VAG 7 speed gearboxes found in Audi A3, Volkswagen Golf and Touareg. NB, Gen 2 clutches (fitted from 06/2011 onwards) will also

require Laser Part No. 7914. Designed to allow the safe removal and refitting of the twin clutches used in VAG 6 & 7 speed gearboxes.



LASER

OIL ATF DISPENSER 7L

Manually operated oil dispenser comes complete with a range of Automatic Transmission Fluid adaptors with quick fix coupling. Simply open the ball valve and the pump handle will dispense 70cc per cycle.

240

For orders and more information call 0121 749 8801



Tools

DIESEL TOOLS

LASER

ENGINE TIMING KIT FOR FORD 2.0 ECOBLUE DIESEL PART NO: 7323

- This timing kit has been designed for the latest Ford 2.0D EcoBlue TDCi engine which features an innovative "belt in oil" design
- where the synchronous drive belt is sited inside the oiled area of the engine

LASER **INJECTOR** EXTRACTOR SET FOR FORD ECOBLUE 2.0 DIESEL PART NO: 8288

The Laser 8288 injector puller set has been designed to pull the Ford EcoBlue diesel injector in one piece. Previously the EcoBlue injectors could only be removed if the fuel return connection and Piezo head were removed by breaking them off, rendering the injector unusable. This

kit allows these injectors to be pulled out without needing to break the injector first

£250

LASER

INJECTOR EXTRACTION KIT FOR FORD ECOBLUE 2.0 DIESEL

PART NO: 7912

· Has been designed to extract seized injectors from the Ford 2.0L Diesel EcoBlue engines in the method described by Ford. Injector removal is required for any service or repair work that requires the removal of the cam cover, cylinder head or cam shafts. NOTE: This method is for seized injector only and will render the injector unserviceable



LASER **INJECTION PUMP REMOVER/ INSTALLER** FOR FORD TRANSIT 2.0 **ECOBLUE DIESEL**

PART NO: 7324

£170

- Injection pump remover and installer for Ford 2.0 EcoBlue diesel
- Applications: Ford Transit, Transit Custom and Tourneo Custom with 2.0L Ecoblue TDCi engines. AWD, FWD and RWD variants (from 2016)
- Engine codes: YLFS, YMFS, YNFS, YLF6, YMF6, YNF6, YLR6, YMR6 and YNRS



£95

ENGINE TOOLS

LASER TURBO SYSTEM TESTER SET

PART NO: 7981

- 13 piece turbo system tester set to identify any pressure leakage within the turbo system using standard workshop air. To fit most turbo systems on cars and light commercial vehicles
- Twelve stepped adaptors for pipe sizes: 31 -38mm, 46 - 51mm, 55 - 60mm, 65 - 70mm, 75 - 80mm and 85
 - 90mm
- Pressure gauge with shut off valve and regulator to help prevent overpressurisation

£140

LASER **COOLING SYSTEM** PRESSURE TEST KIT PART NO: 5614

- A comprehensive coolant system pressure testing kit for universal use
- 25 pieces, including 17 individually sized threaded adaptors, pressure testing pump with gauge, 2 connectors for
- pressure testing bayonet style caps and an adaptor cap wrench

Adaptors have quick-release couplings and pump is fitted with large, easy to read dial clearly marked in both psi and bar

£300



LASER COOLANT SYSTEM FLUSHER PART NO: 7686

- Flushes cooling systems using workshop air and water
- Hand held with five pipe size connections: 19, 29, 32, 36.5 and 40mm
- Trigger action with locking clip
- Standard air line and water hose fitting
- Helps remove contaminated coolant after head gasket replacement.



30



- Vibration damper pulley puller for Ford 2.0 EcoBlue TDCi engines, designed to remove the front pulley when accessing the timing belt Removes the front pulley to gain access to the timing belt
- Applications: Ford Edge (2018 - 21), Focus (2018 - on), Focus Active (2019 - on), Galaxy (2018 - 21), Kuga (2019 - on), Mondeo (2019 21), S-MAX (2018 - 21), Transit (2016 - on), Transit Custom (2016 - on) and Tourneo Custom (2016 - on)

£55



EV Tools



LASER OIL FILTER CUP WRENCH TESLA TRANSMISSION FILTER

PART NO: 8617

£27

- Tesla range of vehicles use a spin on oil filter on their transmissions; 2 wheel drive vehicles have one filter on the rear transmission with all-wheel drive vehicles having two filters, one on the front and one on the rear. The Laser 8617 filter cup is engineered to fit the filters and allow for safe removal, as well as allowing the new filter to be fitted with a ½"D torque wrench
 Applications include: Tesla Model 3, Model
- Y & Model X
- Fits 14 flute 63.8mm (A/F) transmission filter
- Use with ½"D socketry or a 21mm spanner
 ½"D allows for use of a torque wrench for correct tightening.

LASER EV INSULATED TOOL KIT

3 DRAWER TOOLBOX | 27 PIECE

PART NO: 8328

£320

- Robust 3 drawer tool box (510 x 230 x 265mm) contains a selection of fully insulated tools to suit the needs of any mechanic working on hybrid and electric vehicles, or by electricians. The hand tools are suitable for live working up to 1000V AC / 1500V DC and include a ratchet and hex sockets, screwdrivers, spanners, pliers, an insulated cable stripping knife and magnetic pick up tool
- Insulated combination pliers (35mm jaw opening) & insulated side cutters (19mm jaw opening) both with two colour VDE insulated handles with slip guards; insulated screwdrivers: Ph2 x 100mm long, flat 5.5mm x 125mm long; 5x insulated open ended spanners: 8, 10, 12, 14, 17mm
- Insulated 3/8"D ratchet (72 teeth); 9x 3/8"D insulated sockets: 7, 8, 10, 12, 14, 15, 17, 19, 22mm; length 71mm. 100mm extension bar providing greater access; insulated cable knife ideal for stripping standard cables; 420mm long flexible magnetic pick up tool, with 250g pick up capacity

LASER WORKSHOP EV PACKAGE WITH MOBILE SHADOW BOARD KIT

PART NO: 8294

- A complete package of tools, PPE and safety products for workshop use, when servicing or repairing high voltage vehicles. Supplied on a mobile shadow board for ease of access and security
- An 88 piece package of all necessary safety requirements for working on vehicle systems up to 1000v, stored conveniently on a shadow board and mounted on a mobile trolley for ease of movement around workshops and/ or bodyshops
- High visibility ensures nothing can accidentally go missing and forms part of a safety management process, essential when working on high voltage systems, where there is greater risk accidental injury to employees
- Contents: insulated tools and test instruments, high voltage PPE (insulated gloves and face shield), high voltage signage and safety barriers, lock-out procedure safety products, insulated floor matting and shrouding for added safety, rescue pole and electric shock first-aid poster





LASER VEHICLE FIRE BLANKET 6X8M

PART NO: 8396

Electric vehicle battery fires can produce very high temperatures if left unchecked. The Laser 8396 fire blanket has been introduced to help reduce and control the risk of a vehicle fire spreading to other nearby structures and vehicles by starving the fire of oxygen and thereby keeping the temperatures under control



- Size: 6 x 8 meters, thickness 0.45mm
- Material: E glass cloth coated with silicone. Can withstand direct temperatures up to 550°C
- Suitable for electric, hybrid, petrol and diesel vehicles
- Reuse the 8396 fire blanket should be considered a consumable product, however, if the blanket shows no signs of mechanical damage or heat degradation it may be reused

£675

🙆 EV Tools

EV & HYBRID

LASER

EV CABINET WITH FOAM INLAYS, TOOLS & SAFETY PRODUCTS

PART NO: 8490

LASER

- A comprehensive set of insulated tools, test instruments, PPE and signage for high voltage service and repair work, in a dedicated 7 drawer cabinet with tool control foam inlays
- A 125 piece comprehensive kit, for service and maintenance work on EV & PHEV vehicles, containing everything required for safe working on systems up to 1000v
- Contents: Drawer 1; 35 piece insulated socketry & torque. Drawer 2; 10 piece insulated pliers and cutters. Drawer 3; 20 piece insulated screwdrivers. Drawer 4; insulated wrenches and hex keys. Drawer 5; 20 piece miscellaneous insulated tools for EV and PHEV maintenance
- Drawer 6; voltage tester 1000v CATIV, insulation tester 1000v CATIII, amps clamp 80A CATIII, slim fit test probe set CATIII
- High voltage PPE (insulated gloves and face shield), high voltage signs, lock-out and warning tags, safety posts & chain, rescue pole
- All tools are contained in bespoke routed foam trays (drawers 1 – 6), and all safety products have their own place within or attached to the cabinet, ensuring nothing can accidentally go missing.





- A mobile 230V electro-hydraulic table lift with an adjustable, tilting, lifting platform which allows easy access under the vehicle for disassembly and removal of EV battery packs, engines and transmissions. Fitted with a wooden composite table surface with specially milled openings for easy battery fastener/EV connection or transmission access
- 1 TONNE PART NO: 8524
- Lift capacity: SWL 1 tonne
 Table dimensioner 1700 x 1120
- Table dimensions: 1760 x 1130mm; adjustable working height: 1100 – 2000mm
- Weight: 200kg
- Features: 4 steering wheels (2 braked), adjustable tilting table top, double hydraulic cylinders, low friction Polyethylene (PE) sliders, anti-crush stops to prevent trapped hands, deadman control and a 5m retracting mains cable

£3,999

- **1.4 TONNE** PART NO: 8525
- Lift capacity: SWL 1.4 tonnes
- Table dimensions: 1760 x 1130mm; adjustable working height: 800 – 2000mm
- Weight: 200kg
- Features: 4 steerable wheels (2 braked), adjustable tilting table top, double hydraulic cylinders, low friction Polyethylene (PE) sliders, anti-crush stops to prevent trapped hands, deadman control and a 5m retracting mains cable.

£4,599





LASER EV BATTERY ADJUSTABLE MOBILE BENCH SWL 800KG

PART NO: 8339

- Adjustable mobile bench, specifically designed to aid the removal of underslung EV batteries (max Safe Working Load: 800kg) from the vehicle and move them around the workshop for safe storage and/ or repair
- Mobile bench with individual height adjustable heavy-duty castors, allows for height/ tilt adjustment (70mm max) to ensure batteries remain level and in alignment with the vehicle when either removing or installing
- 6" x 2" (150 x 50mm) rubber wheels with safety locks (400kg capacity per wheel), fitted to height adjustable legs, with threaded adjustment and thrust bearing. Use with 13mm Hex ratchet, spanner or socket
- Dimensions: 1500 x 1020 x 780mm (with wheels raised). Tested to 25% overload capacity
- Steel top plate (2mm thick), supplied with 6x wooden support beams to avoid damage to the underside of battery casing. UK Registered Design
- Specifically designed for the removal and installation of EV batteries when used in conjunction with a standard 2-post vehicle lift. Ideal for use in conjunction with Laser EV Battery Lifting Frame, Part No. 8338. Made in Sheffield.



PART NO: 8338

- A fully adjustable and universal EV battery lifting system, suitable for all types of underslung/
- skateboard style of EV batteries (max SWL: 700kg), suitable for both four and six point lifting requirements
 Main lifting beam with moveable lifting eye, for use with workshop lifting hoist/engine crane (1 tonne model required, Part No. 8337)
- Three transverse beams, with adjustable lifting brackets (2x beams for 4-point lifting, 3x beams for 6-point lifting)
- Six adjustable chain slings, plus 6 each of M12, M16 and M20 eyebolts for attachment to EV battery lifting points
- SWL: 700kg, tested to 50% overload capacity. Specifically designed for lifting and moving EV batteries when they have been removed from the vehicle. Ideal for use in conjunction with Laser EV Battery Mobile Adjustable Bench, Part No. 8339. Made in Sheffield









Braking Tools

BRAKE FLUID TESTING

BENDIX FLUTEST **BRAKE FLUID TESTER WITH OPTIONAL PRINTER CAPABILITY**

PART NO: BEN1150

- Accurate, reliable and repeatable results
- Operates off 12V power supply (vehicle own battery)
- User friendly LCD screen instructions guide operator through complete testing cycle
- Measures up to 320°C/608 suitable for use on all grades of new & used brake fluids, including racing fluids
- Multi language display -19 languages, selectable by user
- Compatible with printer for test results (987AB2430).

£250

BRAKE TOOL 3/16" SAE (4.75MM)

PART NO: 8641

LASER

- Hand-held brake pipe flaring tool that is capable of forming both SAE single and double flares in 3/16" (4.75mm) copper and cupro-nickel brake pipes
- A 3/16" (4.75mm) SAE hand-held brake pipe flaring tool for forming single & double flares
- Suitable for use on & off the vehicle

£65

LASER BRAKE FIXING IMPACT BIT SET 3/8"D PART NO: 8286

- · A set of 5 brake fixing impact bit sockets designed to suit the most commonly used brake disc and drum holding screws. The 3/4"D 40mm long socket bits cover Hex 5 and 6mm; Torx® T30, T40 and T50
- 5mm Hex applications: Saab, Vauxhall. Use with Connect replacement screws, Part Nos. 34130, 34135, 34136 and 34138
- 6mm Hex applications: BMW. Use with Connect replacement
- screws, Part No. 34132 T30 applications: Fiat, Honda, Mercedes-Benz, PSA. Use with Connect replacement screws, Part Nos. 34131, 34137 and 34141



Approved by brake system manufacturers

LASER

MEASURING TOOL SET DTI 3 PIECE

PART NO: 7687

- A comprehensive DTI (Dial Test indicator) gauge set, designed to be used for the accurate measurement of engine, brake and machine components
- 2 Dial Test Indicators with magnetic stand
- 1 x Dial Test Indicator: Size 60mm, diameter 0 10 x 0.01mm
- 1 x Dial Test Indicator: Size 30mm, diameter 0 0.8 x 0.01mm
- High strength, switchable magnet combined with shallow Vee base to allow attachment to both flat and curved surfaces



£100

LASER **BRAKE PIPE BENDER & CLAMP SET** PART NO: 8568

- This set combines a specialist automotive pipe bender designed for brake pipework with a set of brake pipe clamps to enable the new pipe to be held next to the existing pipe while still attached to the car
- A compact brake pipe bender/ straightener tool ideal for on-vehicle use.

LASER **BRAKE PIPE REAMER**

PART NO: 852

- Compact reamer features a countersink S2 steel blade to deburr internal diameters from 3mm to 10mm
- Compact internal deburring tool
- Size range: 3-10mm
- Effective on copper & cupro-nickel brake pipes
- PP+TPR soft grip handle for comfort
- Also suitable for use on stainless steel & plastics.









Braking Tools

BRAKE FLUID TESTING

LAUNCH **PRO-1 PLUS BRAKE BLEEDER & FLUID EXCHANGER**

BRAKE PISTON WIND-BACK TOOL

-

2

8

PART NO: 1433002

- Launch UK PRO 1 Plus is a compact, fully-featured brake and clutch fluid exchange device, suitable for all systems
- Pressure adjustable between 0.6-3.0 Bar
- 3.5M fluid delivery hose
- Compatible with all braking
- systems
- 5 Litre fluid tank

£570

PART NO:VS0285

assemblies

SEALEY

- One-man operation
- · Fluid suction function

KIT 30 PIECE

vehicle applications

back brake pistons

Left-handed thrust

Citroen, Ford and

Renault applications

adaptor plates with

thrust bolt assembly and reaction plate

DOUBLE SIDED

Extra slim style - only 10mm

bolt required for

Precision made

£100

LASER

PART NO: 8474

corrosion

Includes left and righthanded thrust bolt

Comprehensive master set of

adaptors suit a wide range of

Suitable for push-back and wind-



LASER

HIGH PRESSURE BRAKE BLEEDER PART NO:8395

- 12v powered brake bleeder has an adjustable fluid pressure output from zero to 3.5 bar (50psi)
- Designed to be used with a 5L brake fluid container (included)
- Finished in a durable, brake fluid safe, paint
- with clearly marked switches and dial Designed and manufactured in
- Germany Supplied with euro cap adaptor additional adaptors available



£799

SEALEY **WORKSHOP VACUUM BRAKE & CLUTCH BLEEDER 2L**

PART NO:VS0203

- Easy, fast, one-person operation using workshop air supply (90psi)
- Does not require vehicle-specific reservoir caps
- Draws fluid from the bleed screw enabling either bleeding or full replacement of fluid in system
- Operation automatically stops when 2L tank is full, preventing spillage
- Includes reservoir replenishing bottle, instructions and air line auick connector.



£130

LASER **BRAKE CALIPER SPREADER,** HYDRAULIC PART NO: 8092

- Hydraulic brake caliper spreader for 2, 4 and 6 piston calipers, supplied with three sizes of spreader pad
- Hydraulic high force brake caliper spreader. Supplied with T-handle
- Spread range: 37 71mm
- Supplied with 3 sets of pads: 90 x 60mm, 150 x 60mm, 180 x 60mm
- For large 2, 4, and 6 piston calipers Centrally located
- hydraulic ram evenly spreads the force to prevent misalignment





BRAKE CALIPER CLEANING FILE

· Double sided cleaning file suitable for removing brake dust,

carriers when replacing brake pads and discs

Designed for the removal of brake dust &

corrosion and the build up of road dirt from brake calipers and



MILWAUKEE® tools and batteries come with a standard 1 year warranty. Warranty extensions are available by visiting www.milwaukeetools.co.uk

MILWAUKEE® tools warranty can be extended from 1 year to a maximum of 3 years (1+2). With the exception of MX FUEL™ tools for which warranty can be extended from 1 year to a maximum of 2 years (1+1).



All MILWAUKEE® REDLITHIUM™ batteries include MX FUEL[™] batteries come with a standard 1 year warranrty which can be extended to a maximum of 2 years (1+1).

All warranty extensions are subject to registering online within 30 days of the purchase date.

MILWAUKEE M18 FHIWF12-503X

RECOMMEND RUBBER BOOT PROTECTOR M18 FUEL[™] IMPACT WRENCH WITH

FRICTION RING 1/2" RECEPTION KIT

PART NO: GEQ4933471259

- Includes 3 x M18 batteries, 1 x charger Compact size of 213mm
- 4-Mode drive control
- Delivers 1356Nm
- fastening torque

[£]450



CARRY BAG



• M18GG

• 2 x 5.0Ah Batteries



MILWAUKEE GUIDE

M12 = 12 volt Battery | M18 = 18 volt Battery

REDLITHIUM[™] batteries provide up to 40% more runtime, 20% more power and 50% more recharges than conventional lithium-lon batteries.



CONNECTED TOOLS

ONE-KEY[™] tool control enables wireless tool customisation for increased productivity and consistent results.



ONE-KEY[™] tool tracking & security offers a **Cloud-based inventory management platform** that supports both location tracking and theft prevention.



TOOL TRACKING

CONNECTED TOOLS



M18[™] BRUSHLESS PERCUSSION DRILL PART NO: GEQ4933464518

Supplied with 2 x

- batteries
- Measuring only 180mm in lenath
- Advanced 13mm heavy duty metal chuck
- LED light

£320







For orders and more information call 0121 749 8801

80

MILWAUKEE M18 FUEL 1" HIGH TORQUE D-HANDLE IMPACT WRENCH PART NO: GEQ4933471757

• Supplied with 1 x battery

- Mode 4 bolt removal, provides a maximum nut-busting torque of 2711Nm
- ONE-KEY tool control enables wireless tool customisation
- ONE-KEY tool tracking & security (Cloud-based inventory management)

£790

MILWAUKEE M18 ONEFHIWF12-503X M18[™] ONEKEY[™] HIGH TORQUE IMPACT WRENCH WITH FRICTION RING ½" RECEPTION KIT

PART NO: GEQ4933464770

3 x 5.0Ah batteries Rapid charger



£480

MILWAUKEE

NO BATTERIES

OR CHARGER

£130

IMPACT DRIVER PART NO: GEQ4933459822

M12 FID-0 M12 FUEL[™]

MILWAUKEE C12 RT-0 M12[™] COMPACT ROTARY TOOL PART NO: GEQ4933427183

NO BATTERIES OR CHARGER

- Versatile cordless solution for cutting
- Variable speed (5000 32,000 rpm)
- 3.2mm collet fits most current accessories in the market



M12 FUEL TYRE BUFFER PART NO: GEQ4933472215

NO BATTERIES OR CHARGER

- Two-speed mode selector for reaming & buffing applications
- + $\frac{7}{16}$ quick change chuck
- Variable speed trigger
- On board fuel gauge and LED light



MILWAUKEE M12 FUEL ANGLED DIE GRINDER PART NO: GEQ4933471438

TART NO. 0204333471430

NO BATTERIES OR CHARGER Compact size

- 4-Mode speed control
- To be used with discs up to ø50mm

£132



HD BOX











MILWAUKEE 40" STEEL WORK CART

PART NO: GEQ4932478857

- 45kg rated soft-close drawers
- 90kg rated sliding bottom shelf
- V-grooves to hold material when cutting or measuring
- Foldable rear shelf with 22 kg weight capacity
- 2 moveable shelves for storing bottles, sprays and other equipment
- Magnetic power strip allows to charge batteries directly on the cart . • 125mm industrial casters (2x fixed, 2x swivelling with brakes)



CARRY BAG M12 FIW38-202B M12 FUEL[™] 3⁄8" **IMPACT WRENCH KIT** PART NO: GEQ4933478785 • 2 x 2.0a batteries Charger £170

MILWAUKEE M18 CBLPP2F-302X SHOCKWAVE[™] BIT SET **31 PIECE**

PART NO GEQ4932472060

MILWAUKEE

- Laser hardened Wear Guard[™] Tip
- Shock Zone[™] geometry · Designed to flex and
- reduces stress at the tipx

£**9**

MILWAUKEE


M12 FIR38-201B M12 FUEL[™] 3⁄8" RATCHET KIT PART NO: GEQ4933459799

1 x 2.0Ah battery

- 3/8" to 1/4 Adaptor
- Charger



CARRY BAG







MILWAUKEE

MILWAUKEE

3/8" KIT

M12 FHIR38-201B

PART NO: GEQ4933478809

• 1 x 2.0Ah battery

M12 FUEL[™] HIGH

SPEED RATCHET

M12 FRAIWF12-622X M12 FUEL RIGHT ANGLE IMPACT WRENCH 1/2" KIT PART NO: GEQ4933478807

- 1 x 6.0Ah battery • 1 x 2.0Ah battery
- Charger





CARRY BAG

£185 **MILWAUKEE**

M12 FIR14-201B M12 FUEL[™] 1⁄4" RATCHET KIT PART NO: GEQ4933459901

- 1 x 2.0Ah battery
- ¼" to ¾" Adaptor
- Charger

£195





Mon - Fri 8.00am - 5.30pm

Tools

MILWAUKEE METRIC COMBINATION **SPANNER SET 15 PIECE** PART NO: GEQ4932464258

- Chrome alloy steel, chrome plated MAX BITE[™] open-end grip reduces rounding . and stripping
- Rounded I-Beam handle for comfortable handling grip
- Ink-filled labels for clear visibility
- Lifetime warranty



£25

MILWAUKEE 1/2 AUTOMOTIVE WHEEL SET 3 PIECE PART NO: GEQ4932451568

- Colour coded for easy identification
- Made from high quality alloy steel for strength and durability
- Set includes 1/2" impact sockets of 17mm, 19mm and 21mm length



MILWAUKEE M12 TLED-0

M12[™] LED TORCH PART NO: GEQ4932430360

NO BATTERIES OR CHARGER

- 120 lumen LED light 2x brighter/ whiter than conventional incandescent bulbs
- M12[™] LED electronics deliver 2x longer run time on a single charge with less heat
- Sealed aluminium head designed for impact

£25

MILWAUKEE M18 TLED-0 M18[™] LED TORCH PART NO: GEQ4932430361

NO BATTERIES OR CHARGER

Sealed aluminium head

- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- Integrated hook for hands-free use
- 135° rotating head

£25







General Tools



General Workshop

SEALEY EXHAUST FUME EXTRACTION SYSTEM SINGLE DUCT

370W

- PART NO: EFS101
- Wall mounting electric fan fitted with heat resistant ducting and exhaust pipe cone with exhaust gas analyser port.
- Ideal for bikes, cars and car-derived vans.Requires installation onto workshop wall and ducting to expel
- exhaust gases.
- Does not include electrical switch gear.
- Ideal for smaller garages and workshops where space is limited.
- Single hose configuration.

BEARING & SEAL

Lightweight design for the

sleeves and 34 nylon drifts.

Can also be used to install oil

INSTALLATION KIT

installation of bearings without

damaging the bearing or housing.

Contains three metal bearing drift

[£]1,550

SEALEY

37 PIECE

PART NO: VS7024

SEALEY

BENCH/PORTABLE PARTS CLEANING TANK 15L

- One-piece tank with triple baked finish and fully sealed magnetic drive pump unit with replaceable impeller.
- Smaller capacity tank is suitable for benchtop mounting.
- Recirculated fluid is filtered before entering the pump and is directed over the workpiece with a flexible metal



£99

LASER ULTRA THIN OPEN ENDED SPANNER SET 10 PIECE

PART NO: 6996

- A complete set of double ended, ultra-thin openended spanners, from 6mm to 24mm, ideal when space is restricted.
- Contents: 6 x 7mm (2.1mm thick); 8 x 9mm, 10 x 11mm (2.5mm thick); 12 x 13mm, 14 x 15mm (3.5mm thick); 16 x 17mm (4.5mm thick); 18 x 19mm (4.5mm thick); 20 x 22mm (5.2mm thick), 21 x 23mm, 22 x 24mm (5.5mm thick).

£85

LASER

COMBINATION SPANNER SET 6-32MM 25 PIECE

PART NO: 6396

- Comprehensive set of 25 Bi-Hex (12pt) combination spanners in a fully polished finish.
- Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30 and 32mm.
- Bi-Hex (12pt) profile with 15° offset head for faster and easier use in tight spaces.





£190

LASER MINIATURE COMBINATION SPANNER SET 3.2-5.5MM

6 PIECE

- PART NO: 7265
- Miniature Combination Spanner Set 3.2 -5.5mm 6pc
 Single Hex sizes (6pt): 3.2, 3.5, 4, 4.5, 5mm.
- Bi-Hex size (12pt): 5.5mm. Length: 100mm.

£12

LASER COMBINATION SPANNER SET

8 - 19MM 12 PIECE PART NO: 1798

PART NO: 179

£12

 Value set of metric combination spanners manufactured from chrome vanadium with a satin finish and polished jaws. A useful medium sized set that includes every size from 8mm to 19mm





LASER

33 PIECE

PART NO: 56049

• With extending driver,

PRECISION TOOL KIT

General Workshop

flexible shaft, 30 assorted to need in one case bits & magnifying glass. Comprehensive set features heavyduty construction with ratchet locking mechanism on most pliers Vinyl dipped handles give additional comfort £Q LASER / KASMA SOCKET SET 3/4"D 26 PIECE PART NO: \$4985 26 piece, heavy duty 3/4" drive socket set with Metric and AF £103 sockets plus essential accessory set in metal storage case, manufactured from **SEALEY** Chrome Vanadium **MAGNETIC CABLE** with a fully polished finish. **TIE HOLDER** RED PART NO: APCTH **SEALEY** FOLDING MECHANIC'S MAT **Fantastic Value** WITH HEADREST 35MM PART NO: VS860 35mm Folding Mechanic's Mat with Headrest Highly portable foldable work mat with headrest. £22 Can be used folded for kneeling or unfolded for under vehicle work · Ideal for working on cold garage floors or for roadside repairs SEALEY Folds away neatly with hook-**PNEUMATIC** and-loop straps when not in use **MECHANIC'S** SEAT PART NO: SCR15 £45 SEALEY **3 DRAWER** PORTABLE £75 TOOLBOX 585MM PART NO: AP1003 SEALEY **TYRE STORAGE/TRANSPORT** DOLLY PART NO: STR006 £129 £55

SEALEY

9 PIECE

PART NO: VS1662

• All the hose clip tools you are likely

HOSE CLIP REMOVAL TOOL SET

SEALEY HEAVY-DUTY WORKBENCH WITH CUPBOARD PART NO: AP2010



SEALEY

23 DRAWER TOOL CHEST COMBINATION WITH BALL-BEARING SLIDES BLACK WITH 446 PIECE TOOL KIT

PART NO: TBTPBCOMB04

FEATURES

- 10 Drawer Topchest with Ball Bearing Slides Black
- Overall Size (W x D x H): 1265 x 435 x 490mm.







SEALEY 14 DRAWER TOPCHEST, MID-BOX & ROLLCAB STACK BLACK

PART NO: AP22BSTACK

FEATURES

- Smooth ball-bearing slides and cylinder locks with locking bar to secure the drawers in place for additional security.
- Side handle and four castors (two fixed and two locking) to aid mobility around the workshop.
- This item is heavy. Extra assistance must be provided at the delivery point to help its safe delivery.



£650

SEALEY TOOL CHEST COMBINATION 23 DRAWER WITH BALL BEARING SLIDES BLACK

PART NO: AP52COMBO2

- All heavy gauged steel construction 45mm ball bearing
- drawer slides
 Rust and solvent resistant



£1,800 👅





🛚 General Workshop



PACKAGE INCLUDES

APMS56 - Modular Floor Cabinet 2 Door Full Height 915mm APMS54 - Modular Wall Cabinet Tambour Front 680mm (x2) APMS53 - Modular Wall Cabinet 680mm (x3) APMS59 - Modular 5 Drawer Cabinet 680mm APMS52 - Modular 2 Door Floor Cabinet 680mm

APMS58 - Modular 5 Drawer Mobile Cabinet 650mm APMS51 - Modular 4 Drawer Cabinet 680mm APMS55 - Modular Floor Cabinet Full Height 600mm APMS67 - Modular Sink Unit 680mm APMS50BP - Modular Back Panel 615mm (x5) APMS50UCD - Modular System Upright Connector Double (x4)

£4,300

APMS50UCS - Modular System Upright Connector Single (x2) APMS50SSC - Stainless Steel Worktop 2040mm APMS50SSB - Stainless Steel Worktop 680mm

Mon - Fri 8.00am - 5.30pm

General Workshop

SEALEY WORKSTATION WITH 2 DRAWERS. 2 CUPBOARDS & OPEN STORAGE PART NO: AP19054

- · Fully lockable and features adjustable feet to help stability when placed on an uneven surface
- Supplied flat-packed with two keys
- Overall Size (W x D x H): 1690 x 600 x 865mm

£700



Garage Essentials

91





Air Conditioning

COOLING EDGE ARENA R1234YF R1234YF FULLY AUTOMATIC AIR CON SERVICE STATION

PART NO: CE92009AL

MACHINE COMPONENTS

- 10L cylinder capacity
- Refrigerant tank scale
- Automatic oil/UV dye injection
- Comprehensive vehicle database
- . Self service replacement filters
- 1.8 charge line with coupling
- Refrigerate tank lock
- Heater blanket
- . Easy read pressure gauges
- Fully programmable
- 3Mtr Charge Lines With Couplings

DASHBOARD FACILITIES

- High contrast back lit digital display •
- Membrane keyboard
- Quick stop safety button
- Thermal Printer

INCLUDES

- Free F Gas Training for One Person
- Free Delivery & Commissioning
- Free Technical Helpline





COOLING EDGE ARENA R134A **R134A FULLY AUTOMATIC AIR CON** SERVICE STATION

PART NO: CE92006AL

MACHINE COMPONENTS

- Fully programmable
- Comprehensive vehicle database
- 10kg refrigerant cylinder
- Easy read pressure gauges
- Automatic oil discharge
- 100L min vacuum pump
- 400g per min recovery pump
- Counters for machine servicing
- Heater blanket
- 3Mtr Charge Lines With Couplings

DASHBOARD FACILITIES

- High contrast back lit digital display
- Membrane keyboard
- Quick stop safety button
- Thermal Printer
- Language selection

INCLUDES

- Free F Gas Training for One Person
- Free Delivery & Commissioning
- Free Technical Helpline

£1,899






170ء

AIR CON STARTER PACK

£599





DIAGNOSTIC PACK PART NO: CEACC4K

AIR CON

Cooling Edge Ltd



-170

Air Conditioning

CTR KHEOS PLUS R134 FULLY AUTOMATIC AIR CON SERVICE STATION PART NO: CE92006KP

CTR KRISTAL BASE R1234YF **R1234YF FULLY AUTOMATIC AIR CON** SERVICE STATION

PART NO: CE92009KB



£2,195

Terms and Conditions apply. The machine must be serviced after Year 1 and Year 2.

MACHINE COMPONENTS

- Fully programmable •
- Comprehensive vehicle database
- 10kg refrigerant cylinder
- Easy read pressure gauges
- Automatic recovery/vacuum/ • charge

FINANCE OPTIONS AVAILABLE

- Automatic oil discharge
- 100L/Min Vacuum Pump
- . 400g per min recovery pump

Kheos

Counters for machine servicing Heater blanket

•

- **INCLUDES** Free f gas training for one
- person Free delivery & commissioning
- · Free technical helpline

AIR CON

MACHINE COMPONENTS

HFO-1

D G

)

10 Litre cylinder capacity

DENSO

- 1 Electronic scales for gas
- Automatic oil/uv dye injection •
- Comprehensive vehicle database
- Self service replacement filters
- 2.5m charging line with couplings
- Refrigerant tank lock

AIR CON

£2,695

Terms and Conditions apply. The machine must be serviced after Year 1 and Year 2.

INCLUDES

- Free F Gas training for one person
- Free delivery & commissioning
- Free technical helpline

AIR CON



AIR CON DIAGNOSTIC PACK

PART NO: CEACC6K

 (\mathbf{f})





STARTER PACK

PART NO: CEACC3K NALIDANA

STARTER PACK











TEXA

705R SERVICE STATION FOR 134A PART NO: UKA6001


The latest TEXA "entry level" recharge station for vehicle air conditioning systems, designed with the precise objective of offering mechanics a simple but complete unit for all recovery and recharge jobs involving only R134a refrigerant, at an extremely competitive price.



TEXA

707 TOUCH SERVICE STATION FOR 1234YF PART NO: UKA6012

Latest recharge and maintenance station for vehicle air conditioning systems. It is designed and made for maximum simplicity and effectiveness in servicing systems filled with the new R1234yf refrigerant, mandatory within the European Community since January 2011 and now increasingly common.



FINANCE OPTIONS AVAILABLE

FINANCE OPTIONS AVAILABLE



TEXA

712 TOUCH SERVICE STATION FOR EITHER 134A OR 1234YFDATABASE ON SD CARD

PART NO: 712

It is a mid-range model which boasts the typical technical features of the top-range models such as:

The automatic maintenance service management

 The measuring of the amount of oil recovered with an electronic scale.

It can be purchased in the R134a or R1234yf version.



TEXA 780 TOUCH BI-GAS SERVICE STATION PART NO: UKA6012

Top of the range. Allows users to alternate services on vehicles equipped with refrigerants R134a and R123yf, as it has two tanks and two separate circuits for recovery, recycling and recharging. Other distinctive features: airtight oil bottles, scale locking/ unlocking device, refrigerant weight accuracy check system, automatic cleaning device for all the hydraulic ducts.





FINANCE OPTIONS



Online Parts Catalogue VRM Parts Lookup Live Stock Availability 24/7 Online Parts Ordering Repair Times Fault Diagnostics Procedures Maintenance Adjustments Technical Drawings Fault Codes



Helping your garage run smoothly

Technical Data, Fitment Times & Parts Ordering

Call us to start your FREE 14 day trial	REE trial Monthly rolling contract			All inclusive PLATINUM +	
Haynes e3 Technical	BRONZE	SILVER	PLATINUM		
Product Support: Free email or telephone support during office hours		\checkmark	\checkmark	1	
VRM Lookup: Access to technical data via a vehicle registration	\checkmark	\checkmark	\checkmark	√	
Adjustment Data: Measurements, Dimensions, Settings	√	\checkmark	\checkmark	√	
Lubricants & Fluids: Capacity, Viscosity, Type	\checkmark	\checkmark		√	
Maintenance: Service procedures, service schedules, service times		\checkmark	\checkmark	√	
Repair Times: Produces estimates & quotes	ages	\checkmark	\checkmark	√	
Procedures: Key programming, timing chains, service light resets	from	\checkmark	\checkmark	√	
Technical Drawings: Exploded drawings of components	onth	\checkmark	\checkmark	√	
Fuse Locations: Locations of fuse boxes and fuse locations		\checkmark	\checkmark	√	
EOBD Locations: Locations of the EOBD interface rolling			\checkmark	\checkmark	
Engine Management: Schematic diagrams, component Contractions & fault code descriptions	:		\checkmark	√	
Wiring Diagrams: Wiring schematics & component descriptions			\checkmark	1	
Guided Fault Diagnostics: Component fault diagnostics			\checkmark	√	
Bundle Options					
Allicat Online + Bitechnical	£12	£25	£50	£75	

Vehicle Data	Provides accurate vehicle identification, with over 150 data fields	./
Tyre Data	Tyre specifications for vehicles up to 3.5 tonnes	· /
		v
OE Service Bulletins	Accurate vehicle specific manufacturer service bulletins	 Image: A start of the start of
Find A Fix	Identify and resolve issues help and tips from industry experts	\checkmark
мот	Identifying the vehicles MOT due date and warning you if it is due within 6 weeks, giving you the opportunity to book that customer's MOT at your workshop	1

All prices listed above are a monthly subscription and are subject to VAT@ 20%.



d Training

Meeting the need for qualified staff in the ever growing MOT sector



Premier MOT Training is the UK's longest established independent Automotive & MOT Training Provider, catering to 600 plus students every year.

Specialising in Automotive Training for the Automotive Industry they cover a varied range of courses including Level 3 accreditation for those without formal industry qualifications, but with lots of experience; MOT Tester Training Classes 1, 2, 4 & 7; Class 3 and 5 bolt on and The Level 3 Managers qualification.

All our Trainers are qualified MOT Testers, qualified to Master Tech Level, all qualified in teaching training who have worked within the industry & colleges for many years to gain their expert knowledge.

Being one of the very few training providers who deliver the Award in MOT testing Classes 1 & 2 (motorbikes) at both of our in Essex and Derbyshire training centres.

We have a great working relationship with the DVSA and Awarding Bodies.

Donna Chapman, Managing Director, says "we have looked at the sheer numbers of tests being carried out and with over 9,000,000 tests being carried out in the first quarter of 2022, it's no wonder we've been inundated with students wanting training of this type." Readers may be interested to know that there are over 20,000 stations in the UK and almost 60,000 testers, so it's no wonder the market demand is at its highest.

Donna continues "One of the biggest areas we have noticed growth in is on Managers training.

With the recent DVSA changes a senior manager can now become the AEDM but if it isn't one of the Principles (AEP) and AEP must also attend the course.

We have also noticed several existing AEDM's returning for an up skill to help with their stations compliance.

Many stations aren't aware that site managers, even though it is not a requirement, can sit the managers course". Premier MOT have increased their availability of the Level 3 in MOT Centre Management courses to ensure we can meet the demand.

CONTACT THE TEAM ON 0121 749 8801 FOR MORE DETAILS



FOR ALL OF YOUR MOT STATIONS TRAINING NEEDS.

Award in MOT Testing | Hybrid & Electric Vehicles MOT Pre Entry Qualification | Annual CPD Training & Assessment Award in MOT Centre Management | F-Gas





Online Digital Training

Dephi TRAINING ACADEMY

My course motor

12 MONTHS ACCESS CALL FOR MORE INFORMATION

on of the court



An e-learning platform that provides technicians with the ability to enhance their skills and knowledge across a wide range of topics.

8 MAIN TRAINING COURSES:

- Hybrid & Electric Vehicles
- ADAS
- Exhaust & After treatment
- Petrol Systems
- Diesel Systems
- Chassis Systems
- Vehicle Electrics
- Other Systems

FEATURES:

- 300+ individual training modules
- · Extensive video content filmed in real world workshop environment

£220

- Interactive text and guestions
- Engine simulator
- Training Needs Analysis questionnaires
- · Own training profile containing all certificates earned
- Mock tests for IMI accreditation
- Designed for all devices including tablets and mobiles
- 96 For orders and more information call 0121 749 8801

nteractive

Delphi Academy is a training platform developed by Delphi Technologies out of their state-of-the-art training facility in Warwick. The platform provides automotive technicians with an enhanced learning experience, offering not only face-to-face training but a wide range of training resources including (but not limited to) online videos, webinars, interactive simulations and access to industry expert lead information.

Training

Titan 10 - Warwick

Delphi's Award-winning technical training centre directly incorporates Delphi's wealth of OEM technical expertise into Delphi's training material, ensuring you get only the best quality technical training, every time.

Developed by technicians for technicians

Delphi's training is all based on real world experience and scenarios. Case studies have shown that continued learning can also help automotive technicians stay motivated and engaged in their work. Learning new skills and techniques can provide a sense of personal fulfilment and satisfaction, and it can help technicians feel more confident and competent in their work.

COURSE CODE	DESCRIPTION	NO. OF DAYS	PRICE
DELSTT	Service technician - I.M.I. (Assessments only)	1	£250
DELDTT	Diagnostic technician - I.M.I. (Assessments only)	1	£250
DELFRG	F Gas Refridgerant Handling Qualification	1	£250
DELHV4	Hybrid and Electric Vehicles L4 NEW	2	£500
DELADS	Advanced Driver Assistance systems	2	£500
DELHV3	Hybrid and Electric Vehicles L3 NEW	2	£540
DELHVH	Hybrid and Electric Vehicle Hazards L2	2	£440
DELFFT	Fast fit Service Technician - I.M.I. (Assessments only)	1	£275
DELMST	Master Technician - I.M.I. (Assessments only)	1	£275
DELBR1	Braking Fundamentals	1	£225
DELSAS	Steering and Suspension	1	£225
DELWAT	Wheels and Tyres	1	£225
GEQDELEXH	Exhaust Systems	1	£225
DELVIO	Vehicle Inspection overview	1	£225
DELCST	Customer Service Training (Technical Staff)	1	£225
DELVE1	Vehicle Electrics 1	1	£225
DELOS1	Oscilloscope Introduction	1	£225
DELUE1	Understanding Emissions	1	£225
DELGE1	Gasoline Engine Management 1	1	£225
DELGE2	Gasoline Engine Management 2	1	£225
DELCR1	CR Hydraulic Diagnosis	1	£225
DELVE2	Vehicle Electrics 2	1	£225
DELVE3	Vehicle Electrics 3	1	£225
DELCR3	CR Advanced Diagnosis	1	£225
DELGD1	Gasoline Direct Injection	1	£225
DELOS2	Oscilloscope Advanced	1	£225
DELTOD	Turbo Operation & Diagnosis	1	£225
DELEAT	Exhaust After Treatment Operation & Diagnosis	1	£225
DELDSU	DS Diagnostic User	1	£225
DELCRI	Advanced Driver Assistance systems	2	£450
DELHV2	Hybrid and Electric Vehicles L2 NEW	2	£540
DELHV1	Hybrid and Electric Vehicles L1 NEW	1	£440





Online Digital Training

CPD M.O.T.



A MOT TESTER ANNUAL TRAINING & ASSESSMENT IMI INSTITUTE OF THE MOTOR INDUSTRY

EMAIL: GARAGE.EQUIPMENT@GSFGROUP.COM PART NO: GEOCPDMOT

TRAINING SYLLABUS 2024

2023/2024

- Updates to testing standards since 20th May 2020
- Using the MOT testing service to check you're carrying out tests correctly
- Updating your user profile details on the MOT testing service
- Vehicle identification
- Tyres, lighting, brakes and suspension.
- · The driver's view of the road
- The introduction section of the MOT inspection manual
- CPD courses run from 31st March 2023 to 31st March 2024.

DVSA MOT CHANGES

The DVSA have changed how existing MOT testers maintain their authorised status.

- All MOT testers are now required to:
- Complete 3 hours annual training
- Pass an Annual assessment
- Provide proof of training and assessment completion to DVSA

IMI CAN HELP EXISTING MOT TESTERS

IMI have created cost effective, flexible and time-saving packages, to meet all DVSA MOT Testers requirements:

• All MOT testers are now required to complete MOT annual training and annual assessment

MOTORCYCLE & CAR MODULE

Delivered by the IMI


- E-Learning module
- Assessment module







COMGSF007B



Lots of new products inside

Terms & Conditions

• Prices shown are for Trade Customers only. • Prices exclude VAT at current rate. • Prices correct at time of going to press September 2023. • Offer ends 31st March 2024. • Prices subject to change without notice. • Promotional items subject to availability. • Errors & Omissions excluded. • In all cases please contact local branch for full application/ fitment details. • Images shown are for illustration purposes only, and may or may not reflect the actual products. • Lease terms & conditions available FOC upon request. • All offers UK mainland only. • Specifications subject to change without notice. • Lease figures may vary according to status. • Non home owners & non established businesses may attract a higher rate. • All lease transactions are subject to a documentation fee.