





fireball

GREAT VALUE

AUTEL

MS ULTRA PRO

PART NO: MSULTRA

SEE PAGE 6

FIREBALL XD75 **PARAFFIN SPACE** HEATER 75,000BTU PART NO: 9592

SIP

SEE PAGE 10

GET WINTER READY

Battery Support Diagnostics Heating Lifts

Tools and more...

ALL THE EQUIPMENT YOU NEED

CONTACT US

Our team of Garage Equipment Specialists are available to help you invest in the right equipment to support your business growth.

Call us on 0121 749 8801 or email garage.equipment@gsfgroup.com

Alternatively contact your local GSF branch. We have over 190 branches nationwide. We're aiming to supply more automotive professionals with the parts and service they need to be successful and will be opening new sites throughout 2025.



Find your nearest branch





An e-learning platform that provides technicians with the ability to enhance their skills and knowledge across a wide range of topics.

8 MAIN TRAINING COURSES:

- Hybrid & Electric Vehicles
- ADAS
- Exhaust & After treatment
- Petrol Systems
- Diesel Systems
- Chassis Systems
- Vehicle Electrics
- Other Systems

FEATURES:

- · 300+ individual training modules
- Extensive video content filmed in real world workshop environment
- Interactive text and questions
- Engine simulator
- Training Needs Analysis questionnaires
- · Own training profile containing all certificates earned
- · Mock tests for IMI accreditation
- Designed for all devices including tablets and mobiles

Delphi TRAINING ACADEMY

FROM ONLY **£235**

12 MONTHS ACCESS CALL FOR MORE INFORMATION

All prices in this publication exclude VAT @20% Items are offered for a limited time while stocks last. Price and availability are subject to change without notice. Lease terms & conditions available upon request Credit is subject to status and is only available to UK residents aged 18 and over. Images shown are for illustration purposes only, actual specification may be different. Errors and omissions expected. Terms and conditions apply. All offers end 31st January 2025.





■ HELLA

MEGA MACS PC SE & MACS REMOTE

PART NO: GEQ010606KIT

The mega macs PC SE provides comprehensive diagnostics, security gateway access & technical data whilst the macs Remote provides ground-breaking remote diagnostic capability.



MEGA MACS PC SE

PART NO: GEQ010606801

Whilst still including all the features of the original tool, the mega macs PC Second Edition now adds DolP & CAN-FD capability. This means that later models from manufacturers such as Volvo (2016 on) & Jaguar/Land Rover (2017 on) can be diagnosed.

The mega macs PC SE also provides integrated security gateway access across 18 popular vehicle makes with exclusive BMW coverage added in August 2024.

- Fault code explanation with possible causes
- Reduced repair times & fast trouble-shooting
- Allows independent workshops to offer a one-stop solution to their customers
- Further extends workshop capabilities to dealer level





Offer ends 31/12/24

■ HELLA

MACS REMOTE

PART NO: GEQ015705091

macs Remote is a remote diagnostics device that makes any repair possible, regardless of vehicle make or model. It enables coding and programming tasks to be carried out that would otherwise require a visit to the dealer.

- Complete remote repair solution supported by a team of master technicians using OE Tools
- Further extends workshop capabilities to dealer level
- Dramatically reduces key to key times
- Cost effective pay as you go system
 No ongoing license charges

KEY FEATURES

Remote calibration, software updates and programming



FREE ANDROID TABLET & RUGGED CASE WITH EVERY MACS REMOTE

REMOTE: CALIBRATIONS | SOFTWARE UPDATES | PROGRAMMING

Offer ends 28/02/25

BOSCH

PART NO: 1987P12913 + 1687P15133 + GEQKTS590PROMO2

ESI[tronic] Evolution diagnostic software enables workshops to carry out maintenance, service and repair work quickly, efficiently and effectively. The diagnostic software covers a wide range of vehicles worldwide. Thanks to the data packages with their modular licencing options, workshops can extend their diagnostic software individually to suit their individual requirements with additional options. ESI[tronic] Evolution makes it possible to perform comprehensive diagnostics, to find the right repair solution and to reset faults.

- ESI[tronic] Evolution software
- Secure Diagnostic Access included
- Modular licencing options
- Fast trouble shooting
- 150 brands covered.
- Maintenance diagrams
- Circuit diagrams

BENEFITS OF THE KTS590

- Support of all current vehicle interfaces based on Ethernet and parallel operation of several BUS systems, including JLR vehicles
- Advanced PassThru interface for programming Works on any Windows 10 OR 11 PC on which the Bosch diagnosis application ESI[tronic] Evolution is installed and licensed
- Mobile and stable operation thanks to powerful Bluetooth interface
- Up to three CAN and K-Line interfaces can be used at the same time
- Wireless Bluetooth connection to the workshop PC allows increased coverage enabling mobile use throughout the workshop
- Rugged construction for long-term everyday workshop use
- KTS 590 also includes a 2-channel oscilloscope

OFFER PRICE KTS 590 WITH 3 YEARS MASTER PACKAGE SOFTWARE











FREE KTS 590 WHEN PURCHASING ESI EVOLUTION 3 YR MASTER PACKAGE

RUGGED WINDOWS LAPTOPS - AVAILABLE FROM GSF, PLEASE CONTACT THE GE TEAM FOR DETAILS)

BOSCH KTS & ESI(tronic) EVOLUTION SECURE DIAGNOSTIC ACCESS - SDA

Many vehicle manufacturers now restrict diagnostic access to their electronics and systems, meaning that everyday maintenance tasks, calibrations and even service resets are only possible with a dealer tool, posing a significant challenge to independent workshops and technicians:

- Numerous tools and software subscriptions required
- Multiple logins and payment concepts Costly, confusing and complex

THE SOLUTION – BOSCH SDA

Bosch SDA (Secure Diagnostic provides access to vehicle manufacturer-protected systems, via a one-time registration. With over 20 manufacturers already included at no additional cost, SDA is the key! A compatible KTS and ESI[tronic] subscription are required.

- One combined hardware & software solution
- One single login and registration for all
- participating manufacturers SDA is already included with all ESI[tronic] Evolution main package subscriptions

VEHICLE MANUFACTURERS COVERED:

Abarth Mercedes-Benz Alfa Romeo Nissan

Audi **Polestar** Chrysler Dacia **Porsche** Renault Dodge/RAM Seat/Cupra

Fiat Skoda Ford Subaru

Hyundai/Kia Suzuki (from August 24) Jeep Volvo

Lancia

With more planned for the near future inc. BMW, Iveco, MG!



Restricted access to diagnostic features requires multiple registration and payme



Secure Diagnostic Access (SDA) part of ESI[tronic] Evolution



Unrestricted access and trouble-free diagnosis for various vehicle manufacturers and models





Cost Benefit



Future Proof

FOR ORDERS AND MORE INFORMATION CALL 0121 749 8801 OR SPEAK TO YOUR LOCAL GSF BRANCH



Offer ends 31/12/24

■ DELPHI

DS480 KIT

DS180 VCI, TABLET & 1 YEAR SOFTWARE PART NO: GEQSV60251 + GEQSV60270

The next generation of diagnostics features expanded vehicle coverage, additional functionality, integrated support and Secure gateway access is included in the software subscription.

- Secure gateway solution
- To service security protected vehicles
- Pass-thru J2534 compliant
- For quick and easy access to OEM date
- Integrated technical information
- Everything you need at your fingertips
- Full system scanAccess to all functionality
- Integrated DOIP/CAN-FD
- No Adapters needed
- ADAS Calibrations
- Procedures included in software
- Continuous software development



■ DELPHI

DS180 VCI & 1 YEARS SOFTWARE

PART NO: GEQSV60250 + GEQSV60270

Continuous software development.

INCLUDES

- 12 Months car software, with VRM look up
- Gateway access included
- VTI Technical data upgrade available with a 3 user license
- Requires Windows 10 or 11 Laptop or Tablet, available from GSF at extra cost
- Truck software also available at extra cost



NORMALLY £2,100

BLUETECH FEATURES



Flight recorder:

Perfect for a one-man road test Select your parameters, hit "Record" and review when back in the workshop. With its 4GB Internal storage capability, enjoy even more space to record all the data you need.



WIFI and Bluetooth connectivity to

Wireless communication providing freedom to work anywhere in the workshop, whilst maintaining a seamless connection to the vehicle.



360° Multi colour indicator: Lets you check the status of the VCI at any time from every angle and position.



Integrated DoIP: No need of any, DoIP adaptor cable. With its built-in functionality, the VCI can be plugged directly on DoIP communicating vehicles.



Universal: VCI can be used for cars, light commercial vehicles, trucks, buses and coaches, trailers.



Pass-thru support: Quick and easy access to OEM flash-programming services.

Battery voltage monitor: Don't let a dead vehicle battery stop you working.

CAN FD channels:

Future-proof design to make the diagnostic possible on vehicles requiring this data-communication protocol.

AUTEL

MS ULTRA PRO

PART NO: MSULTRA

- 2.3GHz + 1.7GHz Octa-core Processor/256GB Memory
- Advanced VCMI 5-In-1 Device: VCI, Oscilloscope, Multimeter, Waveform Generator, CAN BUS Check
- Oscilloscope Preset Guided & Component Tests/Waveform Library
- New VCI Protocols: D-PDU, DoIP/CAN FD, Mega CAN
- Split Screen Multi-Application Function / Dual Wi-Fi Connection
- Topology Module Mapping: Colour Coded All System Status Screen (on supported vehicles)
- ScanVIN: Barcode or Text Recognition with Camera
- Secure Gateway Access: Authorised FCA SGM Access with AutoAuth Account
- Includes Docking Station, Cables, Scope Connectors, Carrying Case, 1YR Warranty & Software Subscription
- Enhanced Diagnostic Reports: PreSCAN & **PostSCAN**
- 18000mAh 8hrs Continuous Use / 16MP Rear Camera & 5MP Front Camera
- Extensive vehicle coverage for more than 70+ US, Asian and European vehicle makes.
- Exceptional OE-Level system coverage for all electronic systems.
- Complete capabilities for codes, live data, active test, ECU information, adaptation, matching, etc.



£5,250

AUTEL

MS909

PART NO: APMS909

Combines diagnostics, service, extensive live data.

- 2 years software updates channel coding and EĆU reflashing. The MS909 also has further System Topology programming options directly within the tool software itself (focusing Repair Assist on BMW, Mini and Mercedes)
- DTC Analysis In addition, the MS909 has all new software specialist capabilities
- Tech bulletins that we have named Repair Assist, DTC Analysis, Topology Mapping and Relevant Cases

PLEASE CONTACT US FOR FURTHER PRODUCT INFORMATION

NEW EV READY

LARGE 12.9" TOUCHSCREEN (2732 X 2048)/ANDROID 7.0

UPDATES: 2 YEAR STANDARD 3 YEAR AVAILABLE

CONTACT US FOR OUR LATEST SPECIAL OFFERS









SAE **J2534**

RP1210 ISO 2290

£2,895

AUTEL

EV EXPANSION PACK UPGRADE KIT

PART NO: 100003196

Includes EV-Diag Box and The EV Expansion Pack allows the qualified Level 4 technician to adapters for specific electric vehicles to perform battery pack carry out advanced diagnostics for European, US and Asian Full analysis.

The EV-Diag Box is compatible with the MaxiSys Ultra, Battery and Hybrid vehicles. The Upgrade Kit includes adapters.



TPMS

■ BARTEC

TECH 350

PART NO: GEQTECH350 BUNDLE/10

- Low cost fully featured entry level TPMS tool with all Bartec quality
- Market leading OBD and other relearns
- Supports the fastest sensor with the best coverage RITE-Sensor
- Using RITE-SENSOR® and RITE-SYNC®, the TEČH350 makes TPMS Service easy!
- The first time the tool is turned on, it will guide the user through tool registration and gain access to Bartec's PC-based Program -TPMS Desktop – enabling easy and regular software updates
- Kit contains: Tool, OBD cable, USB cable



INCLUDES 10 FREE RITE-SENSORS

■ BARTEC

TECH 450

PART NO: GEQTECH450 BUNDLE/12

With your new TECH450, the frustration of wrong service kits or wasted time dismantling a wheel to get to the sensor will be a thing of the past. The TECH450 can identify whether the sensor it has just read is OE or Aftermarket, and the Manufacturer.

- Live updates via WiFi
- Multi-programming of more than one sensor at a time
- Training tips and tricks related to TPMS OBD cable connectivity
- The most accurate coverage, including manufacturer, make, model, month and year
- Detailed relearn procedures that include indirect vehicle resetting Market leading OBD relearn coverage

NORMALLY



NEW GENERATION COLOUR SCREEN

FREE TPMS DESKTOP PC PROGRAM

INCLUDES 12 FREE RITE-SENSORS

BARTEC

TECH 600

PART NO: GEQTECH600 BUNDLE/15

Easy to use and intuitive menu screens boast a range of time-saving features to help you get the job done quicker and with no hassle. Add the FREE Bartec TPMS Desktop for completed job reports, automatic software updates, and data received straight from the tool, allowing you to manage multiple vehicles through the diagnostic and repair process.

- WLAN and Bluetooth wireless communication and wireless charging
- More on-board DTC information New ergonomic enclosure
- Comprehensive audit report
- New easier-to-use menu flow
- Model year 2023/24 coverageWorks with 'TPMS Desktop'

THE ONLY TPMS TOOL ON THE MARKET THAT IS TRULY WIRELESS INCLUDES 15 FREE RITE-SENSORS

ONLY



TESLA SENSOR AVAILABLE





EVERYTHING YOU NEED TO KNOW ABOUT SECURE GATEWAYS


Vehicle Secure Gateways (SGW) act like firewalls for vehicle networks, preventing unauthorised access and protecting against external attacks. Access to certain functions requires authorisation from both the user and their diagnostic device, with variations in accessible functions across different OEMs.

To fully access OEM software portals, businesses and technicians need authorisation, which grants dealership-level privileges if they have the OEM interface. However, some technicians prefer aftermarket solutions offered by GSF's Diagnostic partners for accessing security gateways.

While SGW-equipped vehicles allow technicians to access data and Diagnostic Trouble Codes (DTCs), they restrict actions like DTC erasure, coding, calibrations, and actuator activations, impacting routine tasks such as service light resets and brake caliper adjustments.

SO WHY ARE OEM'S INSTALLING SECURE GATEWAYS

As cyber security concerns grow for OEMs, secure gateways are being integrated into nearly all new cars, complicating the use of aftermarket diagnostic tools. These secure gateways enhance vehicle protection against hacking by preventing unauthorised access and safeguarding the safety and privacy of vehicle owners in an increasingly interconnected environment.



WHICH VEHICLES HAVE SGW'S?

Since as early as 2017, OEMs started to develop and use DOIP (Diagnostics Over the Internet Protocols) and CAN-FD (CAN with Flexible Data-Rate). All manufacturers are moving over to these communication protocols as they provide higher bandwidth than conventional CAN-BUS and allow the implementation of high levels of security.



WHAT'S THE SOLUTION

If your current equipment is DOIP and CAN-FD enabled, you only need to upgrade your software package to include SGW. If you're equipment does not support DOIP and CAN-FD, then you will need to upgrade your diagnostic equipment. Either way, GSF and our Diagnostic partners can support you with this.

WHAT OTHER METHODS CAN BE USED TO ACCESS SECURE GATEWAYS

PASSTHROUGH

- Block exemption regulations require OEM to allow access to data and technical information for Euro 5 vehicles onwards.
- Businesses must be registered with the OEM to access.
- Still restrictive to some security related functions but SGW granted

REMOTE DIAGNOSTICS

- Designed for remote ADAS and key calibration, it's a convenient way for a workshop to gain access through secure gateways.
- Enables a workshop to perform OEM component coding and programming, with payment based on an individual payment per-job booked basis.

SO, WHAT WAS THE SOLUTION AGAIN?

Contact your local GSF branch and one of our Garage Equipment Specialists can arrange a product demonstration or provide expert advice to future proof your business and deal with the latest technologies OEMs are implementing in their vehicles.

See the following pages for the latest equipment available today to deal with Security Gateway issues and coding and programming opportunities across all OEM's

	EQUIPMENT FUNCTIONALITY							
	AUTEL	BOSCH	Delphi	HELLA				
DOIP & CAN-FD	√	V	√	√				
SGW	√	V	√	√				
ADAS	√	V	✓	√				
2 CHANNEL SCOPE	√	V	N/A	N/A				
4 CHANNEL SCOPE	√	N/A	N/A	N/A				
TPMS	ABS	ABS	ABS	ABS				
TOPOLOGY MAPPING	√	V	✓	√				
MULTIMETER	√	V	N/A	N/A				
PASSTHROUGH	√	√	✓	√				
REMOTE	√	N/A	N/A	√				
STAND ALONE REMOTE	N/A	N/A	N/A	V				

HEATERS

■ THERMOBILE

MANUAL IGNITION BIO OIL HEATERS WITH FLUE KIT

INCLUDED:

- 4 x 1m flue pipes, 2 x Adjustable wall fixing brackets, 1 x High temperature silicone rubber roof seal and fixing kit for profiled or corrugated roof and cladding
- Additional 1m flue pipe available
- Fast return on investment
- Efficient, virtually soot-free combustionBuilt in fuel tank, filters and pump
- Flame failure protection
- Overheat protection (except Bio B)
- Includes complete flue kit (roof seal, fitting kit & two wall bands); legislation compliant PG1/1 (04)
- Bio Energy 2 & Bio Energy 3 feature a burner draw system or easier lighting and cleaning plus a heat exchanger for higher efficiency



These heaters operate on these fuels: Bio Diesel Oil, HVO, Processed Fuel Oil. Rapseed, Linseed and some

Vegetable oils

Manual ignition Bio Oil heaters must be connected to a suitable flue system (min height of 1m above roof apex and 6m above ground level). A full range of flue accessories are available.

MODEL NO.	PART NUMBERS	HEAT CAPACITY MIN (BTU/HR)	HEAT CAPACITY MAX (BTU/HR)	CONSUMPTION (MIN)	CONSUMPTION (MAX)	FUEL TANK CAPACITY	FAN CAPACITY	OFFER PRICE
BIO ENERGY 1	GEQBIO1PACKAGE	68,000	102,000	2 LITRE/HR	3 LITRE/HR	50 LITRES	1000m³/hr	£2,562
BIO ENERGY 2	GEQBIO2PACKAGE	85,000	146,000	2.5 LITRE/HR	4.3 LITRE/HR	55 LITRES	3000m³/hr	£3,325
BIO ENERGY 3	GEQBIO3PACKAGE	130,000	210,000	3.8 LITRE/HR	6.2 LITRE/HR	55 LITRES	3000m³/hr	£3,745

FIREBALL XD100 **DIESIL/PARRAFIN HEATER 100,000 BTU**

PART NO: 9593

- 75,000BTU/hr (20kW) heat output
- 530mtr3 (18,717ft3) approx. heating area
- 26ltr heavy-duty steel fuel tank High-quality low maintenance
- air pump Heavy-duty powder-coated finish



FIREBALL XD75 PARAFFIN SPACE HEATER 75,000BTU

PART NO: 9592

- 100,000BTU/hr (30kW) heat output
- 700mtr³ (24,720ft³) approx. heating area
- 26ltr heavy-duty steel fuel tank
- High-quality low maintenance air pump Combustion chamber cool-down
- safety feature Heavy-duty powder-coated finish

ONLY £255



SEALEY

CARBON FIBRE WALL MOUNTED INFRARED HEATER

PART NO: SEAIWMH1809R

- A totally dry heat, no condensation, no gas, no fumes and no smell
- Reaches maximum heat output within seconds of being turned on
- Highly polished aluminium reflector for maximum heat efficiency
- Adjusts horizontally through 25° while mounted
- Controlled by push-on/off switch or remote control
- Ideal for industrial or domestic applications Suitable for outdoor use only (IP65 Rated)
- Optional floor stand available Model No. IHS1





HEATERS



SEALEY

PARRAFIN/DIESEL WHEELED HEATERS

70KWHR

PART NO: SEAAB2380

- 240,000Btu/hr (70kW) Heat output
- Operates on kerosene or diesel
- Ideal for heating large well-ventilated areas
- Stainless steel combustion chamber with fan cooling Dual LED Display for ambient and thermostatically controlled desired temperature
- Equipped with Danfoss oil nozzle and gear pump for stable fuel delivery.
- Easy-to-read fuel gauge
- Features automatic cut-out when oil is drained and nonautomatic restart after power supply is interrupted



PARRAFIN/DIESEL WHEELED HEATERS

100KWHR

PART NO: SEAAB3412

Versatile Proven pump system can operate with either, kerosene or diesel.

Heat Output 340,000Btu/hr (100kW)

Supply 230V – 13A

Clean Burning A more thorough burn of fuel which means

greater fuel economy and maximum heating effect

Large Fuel Tank 69L tank operates for a maximum of
7 hours on a single fill of fuel

Thermostatically Controlled Dual LED display for ambient and thermostatically controlled temperature

Safety Features Automatic cut-out when oil is drained and

non-automatic restart after power supply is interrupted. **Quality Assurance** Workshop tried and tested. Manufactured to comply with rigorous safety standards.

After Sales Service The best in the business. Full spares back-up for all models.



SEALEY

SPACE WARMER PARRAFIN/DIESEL HEATER

175000BTU

PART NO: SEAAB1758

Proven pump system can operate with either, kerosene or diesel.

Heat Output 175,000Btu/hr(50kW)

Supply 230V ~ 50Hz

Clean Burning A more thorough burn of fuel which means greater fuel economy and maximum heating effect

Large Fuel Tank 50L tank operates for a maximum of 11 hours on

a single fill of fuel

Thermostatically Controlled Dual LED display for ambient and

thermostatically controlled temperature **Safety Features** Fitted with a flame-out device which cuts the fuel supply when the flame is inadvertently extinguished



BATTERY SUPPORT

■ SIP **RESCUE PACK 1600**

PART NO: GYS03936

12v internal battery voltage, 1600A boost peak rate and 700A cranking rate

Rechargeable AGM portable pack for boost starting

12v DC take-off powers devices direct from booster

Integrated LED charge rate indication





RESCUE PACK 3000

PART NO: GYS03937

12v/24v output voltage, 2x 22Ah battery, 3000A (12v)/1500A (24v) boost peak rate 1200A (12v)/ 600A (24v) cranking rate 2x 12v DC output sockets

for electronic devices

Robust steel casing and plastic seat; quality leads and clamps for increased and reliable performance



GYSFLASH 100-12 HF

(5.0M CABLES)

PART NO: GYS029002

100Amp Battery Support Unit DIAG+ mode – user adjustable voltage Smart charger mode –

all battery types including EFB & AGM stop/start + Lithium

 Safe to charge without disconnecting battery

100Amp supply on demand

Adjustable voltage 12-14.8v (in 0.1v increments)

NORMALLY

GYSFLASH 121.12 CNT-FV

(CABLES 5M)

PART NO: GYS027756

A 120 A, high power, connected charger

featuring inverter technology Keeps a 12V, lead or lithium battery at a perfectly stabilised voltage during the diagnostic phases

Delivers the recommended and most effective charging cycle to maintain the most advanced vehicles on the market

NORMALLY



GYSFLASH 6.12 PRO SMART CHARGER / MAINTENANCE CHARGER 12V

PART NO: GYS029613

Specifically designed to charge small vehicles' 12V batteries

Its 8 step intelligent charging curve provides an optimal charge and charges in half the time of a traditional charger

AGM Charge mode for cold weather (less than 5°C) and for Start & Stop batteries (EFB & AGM).



ARTCIC 4000 (4A) SMART CHARGER/ **MAINTENANCE CHARGER 12V**

PART NO: GYS029705

Specifically designed to charge 6V and 12V batteries Provides fully automatic charging that is twice as fast as a

traditional charger and is equipped with microprocessor technology

Battery can be left to charge vehicles completely autonomously



GYSFLASH 30.12 PL SMART CHARGER

WITH 30AMP BATTERY SUPPORT MODE

PART NO: GYS026070

- Capable of safely charging batteries in situ incl AGM & EFB Stop/Start plus Lithium (LiFePO $_4$)
- Features support mode providing 30Amp battery support ideal for basic diagnostics & ADAS calibrations

Multi-stage charging technology





EXCLUSIVE TO GSF





Manufactured in Italy to the highest standards by renowned equipment manufacturer, Rotary, these traditional 'Clear-Floor' 2 Post Lifts are the perfect addition to any garage workshop. Superbly engineered, these lifts feature internal carriages which run on lubricated sliding guides protected from the external environment, to maximise the life of the sliding elements and an acoustic anti toe trap system, free from mechanical foot guards.

PRICES INCLUDE: DELIVERY, INSTALLATION, FULL TRAINING AND WARRANTY!





ISN 2 POST LIFT

PART NO: GEQATP9


Not to be confused with 'budget' lifts of similar pricing, the ATP9
 has been designed in Europe with European vehicles in mind



■ EAE

NEW

2 POST PART NO: GEQEE-62B.50T



 Base plate design for low ceiling workshops and gantry option

 The four triple stage 1800mm arms combination mean the lift can accommodate a wide range of vehicles whilst giving you the extra reach for the LWB vans.



LIFTS

4 TON 2 POST LIFT

3 STAGE ASYMMETRICAL ARMS

PART NO: GEQEE-6254E

- CE certified by SGS UK
- Base plate design for low ceiling application
- Electrical safety lock release system
- ABS control box, Anti-surge hydraulic valve, Automatic engaging arm locks, Hydraulic system with fixed pressure, Screw Action Height, Adjustable Pads With Clearance Height <100mm
- Max lifting height: 1,900mm
- Min height: 100mm



BENDPAK

BASELESS, ELECTRO/HYDRAULIC 2 POST LIFT 4 OPTIONS FOR OVERALL HEIGHT, LIFTING HEIGHT, NARROW OR WIDE SETTINGS C/W BENDPAK'S REVOLUTIONARY **BI-METRIC LIFTING ARMS & SCREW PAD ADAPTERS**

PART NO: 10AP: 3683MM OVERALL HEIGHT, 2095MM LIFTING HEIGHT PART NO: **10AP-168**: 4267MM OVERALL HEIGHT, 2095MM LIFTING HEIGHT PART NO: **10APX**: 3988MM OVERALL HEIGHT, 2260MM LIFTING HEIGHT PART NO: 10APX-181: 4597MM OVERALL HEIGHT, 2260MM LIFTING HEIGHT

- Clear floor with no obstructions & easy to use
- Available in Single or 3 Phase Power
- New automatic swing arm restraint aystem with 360° of load holding grip for added safety

Triple reach arms offer access to vehicle lifting points Low pick-up pad height of 102mm c/w screw pad

adapters Mechanical safety lock system for ease of use & additional safety



£4,875

DEMOS AVAILABLE

I-LIGN WHEEL ALIGNERS

These Wheel Alignment options are tablet operated, tower-free systems, they're compact, significantly reducing workshop space requirement, and portable, making multi-bay use a breeze. They're operated from a tablet rather than PC, so the operator can see the display at all times when working around the car, and it is loaded with genuinely useful features such as Registration Plate vehicle look-up and Teq-link, a handy data sharing resource which can be used for all sorts of applications.

- CCD and 3D options offer a choice of technology
- 10" magnetic tablet connects via Wi-Fi
- Wireless measuring heads communicate via Bluetooth
- Premium-quality, Italian-engineered 3-Point clamps
- Personalized alignment report can be emailed directly to customer, or printed via a Wi-Fi printer
- Mobile base unit with built-in sensor chargers combines with long lasting batteries that work all day and recharge overnight while docked on the unit

I-LIGN CCD**

PART NO: GEQI-LIGN CCD

A tablet operated, 8 CCD wheel alignment system which CAN BE USED ON A 2 POST LIFT (with additional cost adaptors)

** i-Lign wheel aligners are not exclusively available through GSF Car Parts





*Subject to annual servicing

NEW

TYRES & WHEEL ALIGNMENT EXCLUSIVE TO GSF





Designed for garages, tyre shops and alloy wheel specialists where only the best will do Balco tyre service machines are manufactured in Italy to the highest

standards by renowned equipment manufacturer, Rotary. Heavy duty, structurally superior and designed for intensive use, these machines have a flagship specification; and incredible performance comes as standard.

NEW

NEW

BR1060 WHEEL ALIGNER

PART NO: GEQROT.SP706

A 6CCD aligner with premium, 3-point clamps, 'all-inclusive' specification that throws in otherwise optional extras such a premium turnplates and Number Plate Recognition, supported by one of the most reputable teams of alignment dedicated specialists the industry has to offer.

Number Plate Recognition Automatic charging of

heads when docked Premium 3-Point Clamps





£5,995

*Subject to annual servicing

NEW

DEMOS AVAILABLE

■ BALCO

I-LIGN 3D**

PART NO: GEQI-LIGN 3D

- 3D Technology with NO NEED FOR RUN OUT COMPENSATION Thanks to the Real 3D targets, combined with the 3-point clamps, the run out compensation procedure can be skipped to maximize workshop efficiency Requires the use of a 4 post
- alignment lift



*Subject to annual servicing

BALCO **BR360 WHEEL BALANCER**

PART NO: GEQROT.BR643



TYRES & WHEEL ALIGNMENT

TYRE CENTRE CONSUMABLES PACKS

PREMIUM 38 ITEMS

PART NO: HCONPACKPREMIUM

INCLUDES: 300x38mm & 100x49mm snap-in-valves; 100xstrips of self-adhesive weights (5&10g); Zinc wheel weights for steel wheels (100xeach of the following: 5g, 10g, 15g, 20g, 25g, 30g, 35g, 40g); 5kg tyre mounting paste and 2xbrush; 1xvalve core key, 1xvalve mounting tool. Zinc coated wheel weight for alloy wheels (100xeach of the following: 10g, 15g, 20g, 25g, 30g); 5kg tyre mounting paste; yellow paint chalk (pk 12); rubber buffer cleaner solution (1 ltr.); bead sealer (950ml); fast dry vulcanising solution (1 ltr.); 80x 635mm foiled backed universal patch: solution (1 ltr); 80x ø35mm foiled backed universal patch; 24x6mm repair plugs; 2xvalve core key; 2xvalve mounting tool; 1xvalve knife 2x4-in-1 tyre valve tool;

1xrubber scraper; 1xstitch roller; 1x2-in-1 hand rasp & cement tool.

SPECIAL PRICE **£349.99**



NEW

BASIC 10 ITEMS PART NO: HCONPACKBASIC INCLUDES: 100x38mm & 100x49mm snap-in valves; 50xstrips of self-adhesive weights (5&10g); Zinc Wheel Weights for Steel Wheels (100x each of the following: 5g, 10g, 15g); 5kg tyre mounting paste and brush; 1xvalve core key, 1xvalve mounting tool.

F74.99

EAE

TYRE CHANGER AND WHEEL **BALANCER PACK**

PART NO: GEQEE-TPD1

- EAE EE-4880ID Tyre Changer with Assist Arm & EAE EE-3096V2 Wheel balancer
- Suitable for passenger car + motorcycle and light commercial vehicle wheels
- Strong Assist Arm & Pneumatically operated tilting column
- Simultaneous pneumatic horizontal and vertical arm locking
- Pneumatic bead breaker
- Durable and convenient operation
- Tilting column and pneumatic locking system
- Bigger bead breaker cylinder ø200, more powerful
- Max. wheel diameter: 45"
- Max. wheel width: 14'
- Outer clamp:12"-23"
- Optional Motorcycle clamp:12"-26"

Optional: Motorcycle adaptor Jaws



■ ABSOLUTE

4 WHEEL CAMERA WHEEL ALIGNMENT

PART NO: GEQBLUETOOTHPRO

- Optional Motorcycle clamp:12"-26" 6 Camera CCD Technology ADAS ready
- 24" Pro wheel clamps (no metal to metal contact)
- Use on 4 or 2 post lifts plus wheel free scissor lift
- Simple to understand before/after colour printout
- Low spoiler mode
- Wireless charging
- Remote control heads
- LED front head repeater adjuster lights
- Smartphone/tablet app operation available
- VRM number plate look up (Shoot & Go) option
- Supplied with: 3pt 24" Pro Clamps/ Ball Bearing Turn Plates/Steering Wheel Clamp/ Brake Pedal Depressor/20,000+ Vehicle



£7,797



MOT BAYS




LIFTMASTER

CLASS IV 4 POST MOT BAY

ATL 4 POST LIFT COMES WITH 4460MM PLATFORMS PLAY DETECTORS, CAPTIVE TURN PLATES, 2000KG JACKING BEAM, HEADLAMP BEAM TESTER & MOT ACCESSORIES PACKAGE

PART NO: GEQATLEF446B

 4ATLEF446B including the MOT1000/MTS accessories package & 3 years warranty



FRICES FROM **£24,999**


LIFTMASTER

CLASS IV SCISSOR MOT BAY

ATL SCISSOR LIFT COMES WITH 4600MM PLATFORMS PLAY DETECTORS, CAPTIVE TURN PLATES, 2000KG JACKING BEAM, HEADLAMP BEAM TESTER & MOT ACCESSORIES PACKAGE

PART NO: GEQ4ATLES46B

Including the MOT1000/MTS accessories package & 3 years warranty





FINANCE OPTIONS AVAILABLE ON REQUEST

£28,900

ISN


ELECTRO HYDRAULIC BASELESS 2 POST LIFT

PART NO: GEQATLASATP10

The Atlas ATP10 is effectively the 'big brother of the ATP9. Boasting electric locks and four 3-Stage arms, with 70mm and 100mm pad extensions included as standard, the TP10 balances value and performance perfectly. With a healthy 5,000kg capacity it is tougher than your average lift, being capable of handling large 4x4s and vans.

- Lifting Capacity 5000 kg
 Max Lifting Height 1,910mm
 Min Height 110mm
 Max Car Width 2617mm
 Motor Power 3.0w single phase, 20amp / 3.0kw 3 phase





WORKSHOP

SEALEY

HOSE CLIP REMOVAL TOOL

9 PIECE

PART NO: SEAVS1662

• All the hose clip tools you are likely to need in one case

 Comprehensive set features heavy duty construction with ratchet locking mechanism on most pliers

Vinyl dipped handles give additional comfort



VIKING 3 TON LOW PROFILE **ROCKET LIFT**

PART NO: SEA3100TB

 Rocket Lift feature brings lifting arm into contact with jacking point with minimal pumps

Foot pedal for quick approach of the lifting saddle to the vehicle in confined spaces

Includes removable rubber saddle pad and built-in tool tray for fasteners and tools



f242

SUPERLINE STORAGE SYSTEM WITH STAINLESS STEEL WORKTOP

PART NO: SEAAPMSSTACK11SS

- Tough and durable construction with a hammered metal finish
- Aluminium handles and drawer pulls
- Drawers fitted with ball-bearing drawer slides
- 38mm Stainless steel worktop
- Gas struts on wall cabinet doors



■ SERENCO

across most surfaces

vehicle in any direction

PART NO: SNCW06-3002 +3001

RACK FOR 3+1 VEHICLE SKATES

body shops, showrooms and roadside recovery

Fits tyre widths Up to 11"

Reliable ratcheting mechanism Effortlessly lifting a vehicle weighing up to 2.25T [567Kg capacity per jack] **Heavy duty nylon castors** For low vibration and noise

Premium Bearings Allow for hassle free movement of the

Ideal for a wide array of workspaces Including workshops,

NORMALLY **£1,599**

SUPERLINE RAPID FIT MODULAR GARAGE **STORAGE SYSTEM**

3.1M

PART NO: SEAAPMS10HFP

Can be freestanding or fixed to the wall. All 10 units supplied on a single pallet. Hinged flat pack design makes this storage system easy and quick to assemble.

- Base units fitted with stylish black MDF worktops and adjustable feet
- Fitted with ball bearing drawer runners and magnetic door latches
 Pegboard design backing panels for additional storage
- Extra units available to extend the storage system if required



WORKSHOP





PART NO: W04-0503

Precision robotic welded frame ensures maximum durability and product lifespan

Adjustable height pressure plate Extra wide internal frame

to cover wider applications Horizontal ram adjustment

for maximum application versatility Manual operation hydraulic

pump

Capacity: 50T Ram Stroke: 200mm Working Range:

68 – 1048mm Bed Width: 730mm Net Weight: 298kg

Main Body Dimensions: 2110 x 315 x 1618mm Frame Type: Welded

NORMALLY **£2,193**

ROBOTICALLY WELDED FRAMES WITH FOOT CONTROL

HURRICANE

HURRICANE OIL DRAINER WITH **EXTRACTION**

80 LITRE

PART NO: W07-0001

Large 80 litre capacity allows for less frequent downtime for emptying waste oil

Grid filter in drain pan to allow the support/draining of old filters into unit

Extract oil directly from vehicle with air pressure to produce vacuum

Sturdy all welded steel construction

Self-steering castors and heavy duty wheels for easy locating of drainer

Oil level indicator tube on reservoir to avoid overfilling



SERENCO

20T WORKSHOP PRESS

PART NO: W04-0501

Precision robotic welded frame ensures maximum durability and product lifespan

Adjustable height pressure

Extra wide internal frame to cover wider applications

Manual operation hydraulic pump Capacity: 20T

Ram Stroke: 186.5mm

Working Range: 38 - 912mm

Bed Width: 510mm Net Weight: 105kg

Main Body Dimensions: 650 x 700 x 1618mm

Frame Type: Welded



PNEUMATIC MECHANICS SEAT

PART NO: SEASCR15



SYKES

PNEUMATIC VIBRO INJECTOR PULLER

PART NO: SYK08588000

• A new generation of air powered tool that uses vibrations of 20-30Nm of torque to aid the removal of especially tight or seized injectors

The kit comes with a comprehensive range of 19 adaptors to suit Bosch, Delphi, Siemens and other OE injector systems



WORKSHOP

SYKES

SPRING COMPRESSOR

PART NO: SYK385801SP

- Universal pieces of equipment for assembling and disassembling struts and coil springs - suitable for Cars, 4WD's, Commercial Vehicles ALS – Auto Levelling System -Auto levelling upper arms
- simplify working on conical and
- misaligned springs Brackets System Front and side spring clamps designed for fast changeover using unique Brackets System
- Safety Guard Fitted Safety Guard for operator safety and also allows strut to be safely left in-situ

SPECIFICATIONS

- Dimensions: 1400 x 540 x 310mm
- Compression Force: 1600 kg (16000N)
- Working Stroke: 420mm
- Hex Drive: 19mm
- CE approved



NEW

AUTOMATIC DIGITAL TRANSMISSION FLUSH MACHINE

PART NO: SYKFDATFM

- 15-20 minutes per service
- 100% of ATF replaced during service operation
- Fully automatic, user friendly, safe and reliable operation
- Improves workshop efficiency
- Accommodates large capacity ATF exchanges including buses/trucks
- Accommodates any type of ATF oil on market Ability to pre heat the oil
- Allows oil exchanging Standard Adaptor Kit included
- Includes 2x Automatic Transmission Flush Kits (FATFKIT)



SYKES

BUSH REMOVAL & INSTALLATION TOOL

PART NO: SYK08797500

- Complete kit for SUV, LCV, PSV, HGV
- Contains 20x Press Sleeves in 2mm diameter steps
- Inside Diameter Range: 74 - 112mm in 2mm steps
- Outside Diameter Range: 84 - 122mm in 2mm steps
- 4x Step Plate Discs/4x Pulling Spindles with nuts & thrust bearings M10/ M12/ M14/ M16

TOOLS SPECIALISED

NEW

NORMALLY

SYKES

VENOM INDUCTION HEATER DELUXE KIT

PART NO: SYK960400SF

- Eleven labelled coils; nine in diameter and are a variety of lengths from 114mm-266mm long
- Generates invisible heat® to release corroded and thread locked metal components
- Angled design with trigger lightweight, ergonomic design
- Coil twist lock
- Led usage indicator



ONLY £785

■ CARBON CLEAN

AUTOMATIC CARBON CLEANING MACHINE

PART NO: GEQDCS-16PRO

- Mid-range machine offers more scope for bigger engine types with notable added features
- The powerful 4Kw per hour generator produces up to 1800 litres of HHO per hour which can clean out a 4 litre engine in just 30 minutes
 Removes carbon build-up from a 4 litre engine in just 30 minutes



KARCHER PROFESSIONAL RANGE **NOW AVAILABLE AT GSF**



■ KARCHER

8/1C WASHER CLEANER

PART NO: KAR1.100-243.0

Powerful cleaning specialist for vehicle upholstery, as well as for stain removal on textile surfaces: Puzzi 8/1 spray extraction cleaner with an ergonomic, particularly short upholstery nozzle.

Outstanding cleaning performance

- Ergonomically designed and extra-short upholstery nozzle
- Light weight and compact yet robust design



■ KARCHER

HDS 6/12C HOT WATER PRESSURE WASHER

PART NO: KAR1.169-904.0

Compact hot water high pressure cleaner with eco efficiency mode and steam function

- Up to 560 Litres/hr Flow Rate and 120 bar Pressure
- Economical ecolefficiency mode
- Intuitive single-button selector switch
- Soft Damping System (SDS) compensates for vibration & pressure peaks in the high-pressure system



■ KARCHER

KM70/20C SWEEPER VACUUM

Low-dust sweeping inside and out: the flexible KM 70/20 C manual sweeper achieves optimum cleaning results thanks to its filter, sweeping roller and side brush. Ideal for inside workshops and outside areas.

Area performance up to 7 times higher than with a broom

Height adjustable handles for comfort 6 stage adjustable roller brush to achieve the optimum results on different floors



BD50/50 SCRUBBER DRYER

PART NO: KAR1.127-006.0

,236

The BD 50/50 C BP Pack Classic is an affordable and compact entry-level model to the class of battery powered scrubber driers. The machine allows area performances of up to 2000 m²/h.

- Affordable entry-level model which is simple to operate
- Effective cleaning solution for smooth workshop floors
- Impressive vacuum and suction leaves floors touch dry after use



■ KARCHER

HD6/13 PRESSURE WASHER

PART NO: KAR1.520-954.0

Compact, high performance pressure washer with unique stand-up or lay-flat operating positon and large carry handle.

- Up to 590 Litres/hr Flow Rate and 130 bar Pressure Automatic pressure relief Save time and energy:
- EASY!Force high-pressure gun & EASY!Lock quick-release fasteners
- High quality brass cylinder head
- For horizontal and vertical operation



■ KARCHER

BR40/10C SCRUBBER DRYER

PART NO: KAR1.783-311.0

The BR 40/10 C - the most economical machine in its class and a must for all automotive and transport workshops.

 High scrubbing performance with two roller brushes

Adjustable contact pressure

Working width of 400mm, 10 litre fresh and waste water tanks



E2,140

■ KARCHER

NT20/1 WET & DRY VACUUM CLEANER PART NO: KAR1.428-573.0

The robust, compact NT 20/1 Me Classic wet and dry vacuum cleaner with 20-litre container reliably removes all kinds of dirt.

 Compact, robust and mobile

Excellent value, with great suction power

Simple to use and maintain



612 **£612**

EVERYDAY FLOOR CLEANING DETERGENT FOR ANY SCRUBBER DRYER

Available in individually wrapped sachets. One sachet, one clean.

- Minimises safety concerns for end-users and eliminates the risk of spillage
- Easy-to-use, handle and store. No equipment installation or additional training needed
- Control costs and eliminate overdosing with an easy one-dose sachet solution



POWER TOOLS

■ MILWAUKEE

M1 FUEL™ ¾" COMPACT IMPACT WRENCH WITH FRICTION RING

PART NO: GEQ4933493453

CONTAINS

1 x M12 FUEL™ ¾8" Compact Impact Wrench with Friction Ring 2 x M12™ High Output™ 5.0 Ah Battery

1 x M12™ Charger

1 x HD Box

 Weight of 1kg without battery and a length of 122mm means better access to tight spaces and less user fatique

and less user fatigue
3,000RPMs for exceptional application speed

 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility



£269

NEW MODELS

MILWAUKEE M18 FUEL FPD3-0 18V 13MM BRUSHLESS COMBI DRILL

BODY ONLY

PART NO: GEQ4933498060

 Fourth generation Combi Drill has a higher power efficiency under load with an outstanding torque figure of 158Nm

The powerful brushless motor is fitted into an extremely compact design of 175mm length for access into tight spaces
An AUTOSTOP control mode

 An AUTOSTOP control mode offers enhanced safety for the operator by preventing overrotation in a bind-up

 It also has a 13mm metal chuck for quick bit changes and bit retention

> WE ALSO SELL BATTERIES & CHARGERS

6129

■ MILWAUKEE M12 %" DRIVE EXTENDED REACH RATCHET

PART NO: GEQ4933471500

- Supplied with ¼" adaptor
- Up to 75Nm of max torque and 200RPM's, Ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Industry leading FUELTM technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- Extended reach ratchet adding additional 82mm of length for access into tight spaces
- Variable speed trigger provides ultimate control of the tool
- Premium rubber overmold withstands corrosive materials and provides increased comfort when in use

only £146

NEW MODELS MILWAUKEE

M12 FUEL™ ½" COMPACT IMPACT WRENCH WITH FRICTION RING

PART NO: GEQ4933493456

CONTAINS

1 x M12 FUEL™ ½" Compact Impact Wrench with Friction Ring 2 x M12™ High Output™ 5.0 Ah Battery

1 x M12™ Charger

1 x HD Box

 Weight of 1 kg without battery and a length of 122mm means better access to tight spaces and less user fatigue
 3,000RPMs for

 3,000RPMs for exceptional application speed

 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility



NEW MODELS

£272

■ MILWAUKEE

M12 SCREW DRIVER SET

WITH 2 BATTERIES

PART NO: GEQ4933448797

 High performance compact screw driver measures 169mm in length making it ideal for working within confined spaces

• Metal planetary gears for superior durability and maximum torque up to 20Nm

ONLY

CONLY

NEW MODELS

NEW MODELS



TOOLS





LASER PRY BAR SET **5 PIECES**

PART NO: LAS8759

Dimensions (length x tip width): 600x20mm, 445x18.5mm, 295x16.5mm & 195x10.5mm,



LASER FOLDING SCRAPER & UTILITY KNIFE 2-IN-1 PART NO: LAS8762

• Simple quick blade change button



ONLY £10



MULTI HEAD RATCHET SPANNER SET

PART NO: LAS8872

72 teeth ratchet spanners, Bi-Hex





I ASER

MAGNETIC STAR BIT SET 11 PIECE

PART NO: LAS8898

- Each featuring a magnetic insert to securely hold the fastener, in sizes T10 to T60
- Suitable for use on TORX* fixings 1/4"D socket bits: T10, T15, T20, T25, T27, T30
- Length: 37mm



MAGNETIC SPLINE BIT SET 11 PIECE

PART NO: LAS8923

- Each featuring a magnetic insert to securely hold the fastener, in sizes M4 to M18
- 1/4"D socket bits: M4, M5, M6, M8, Length: 37mm



I ASER **MAGNETIC HEX BIT SET** 11 PIECE

PART NO: LAS8924

- Each featuring a magnetic insert to securely
- hold the fastener, in sizes 1.5mm to 12mm ¼"D socket bits: 1.5, 2, 2.5, 3, 4 & 4.5mm Length: 37mm





LASER **FLEXIBLE AIR HOSE**

Fitted with 1/4" BSP fittings Resistant to oil, UV, abrasion

and weather



LASER

MINI WORK LAMP 10W COB

PART NO: LAS9045

Working time: 1.5 - 5.5hrs (approx.) hours

Charging time: 3 hours



TOOLS



LASER **BATTERY OPERATED LIQUID** TRANSFER PUMP

PART NO: LAS8954

- Suitable for use with light oils, petrol, diesel, kerosene & water-based fluids
- Total pump length: 535mm; Suction tube length: 385mm; Intake diameter: 32mm; Tube length: 585mm

enly £15

MAGNETIC WRENCH HOLDER

PART NO: LAS8895

- A magnetic tool holder equipped with 15 high power magnetics suitable for wrenches/ spanners from 8mm to 22mm, keeping them organised and exactly where they are need
- The magnets each have a load capacity of 500g

£20



PULL-OUT RECHARGEABLE WORK LAMP

PART NO: LAS9043

- Dimensions: 54 x 36 x 183mm (289mm when extended)
- Brightness: COB work lamp 500 lumens, LED torch 100 lumens



